

INDUSTRIAL COMPONENT DATA

WLCA12-G-N WLN 0370G WLCA12GNOMR OMRON Lever roller plunger adjustable PG13.5

Brand: OMRON | Manufacturer Part Number: WLCA12-G-N



Manufacturer	OMRON
MPN / Reference	WLCA12-G-N
Catalog number	WLCA12GNOMR
Category	End switch
Minimum order	1 Pcs
Document ID	EO-60F293AF4B
Generated	2026-08-04

Product Overview

Lever roller plunger adjustable PG13.5

Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, Pg13.5 with ground terminal

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > WL

Additional Product Information

ETIM for 392927 Sensors (EC000030)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Construction type housing (EF004008)

Cuboid

Degree of protection (NEMA) (EF011959)

Other

Coating housing (EF001601)

Powder coated

Degree of protection (IP) (EF005474)

IP67

Alignment of the control element (EF008793)

Roller cam straight
Type of control element (EF006976)
Adjustable roller lever
Type of interface for safety communication (EF003956)
None
Type of electric connection (EF003961)
Cable entry PG
Type of interface (EF006977)
None
Switching function (EF000189)
Quick-break switch
Housing material (EF001596)
Metal
Explosion safety category for gas (EF003997)
None
Switching function latching (EF007447)
No
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
No
Forced opening (EF006694)
No
Output electronic (EF006987)
No
Number of contacts as change-over contact (EF008257)
0
Number of contacts as normally open contact (EF008256)
2
Rated operation current I_e at AC-15, 230 V (EF001385)
10 A
Rated operation current I_e at DC-13, 125 V (EF007085)
0.8 A
Number of safety auxiliary contacts (EF006940)
0
Rated operation current I_e at DC-13, 230 V (EF001386)
0.4 A
Number of contacts as normally closed contact (EF008255)
2
Rated operation current I_e at AC-15, 125 V (EF007082)
10 A
Width sensor (EF007094)
40 mm
Height of sensor (EF007283)
94.1 mm
Length of sensor (EF007334)
67 mm

Ambient temperature during operating (EF007515)
-10 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / WLCA12-G-N with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.