

INDUSTRIAL COMPONENT DATA

XS2F-M12PUR4A2MPLED XS2F0736H XS2FM12PUR4A2MPLED OMRON M12 PUR cable right Angle 4-wire, 2m uL LED PNP

Brand: OMRON | Manufacturer Part Number: XS2F-M12PUR4A2MPLED



Manufacturer	OMRON
MPN / Reference	XS2F-M12PUR4A2MPLED
Catalog number	XS2FM12PUR4A2MPLED
Category	Sensor-actuator patch cord
Minimum order	1 Pcs
Document ID	EO-7E4762AD94
Generated	2026-08-05

Product Overview

M12 PUR cable right Angle 4-wire, 2m uL LED PNP

M12 PUR with 4-wire angled cable 2m uL LED PNP

Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, with LED indicator (PNP), IP67, 2 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Proximity Sensors > Accessories

Additional Product Information

Cable connectors

Size ShapeTypeFeaturesMaterial Order code

NutCable

M8 PRO3 pin Brass (CuZn) PVC 2 m XS3F-M8PVC3S2M-EUXS3F-M8PVC3A2M-EU PUR 2 m

XS3F-M8PUR3S2M-EUXS3F-M8PUR3A2M-EU

4pin PVC 2 m XS3F-M8PVC4S2M-EUXS3F-M8PVC4A2M-EU PUR 2 m XS3F-M8PUR4S2M-EUXS3F-M8PUR4A2M-EU

LITE3 pinBrass (CuZn)PVC 2 m XS3F-LM8PVC3S2MXS3F-LM8PVC3A2M

4 pin XS3F-LM8PVC4S2MXS3F-LM8PVC4A2M

PROplus

Detergent resistant

Wash-down
4 pin Stainless steel
(SUS316L)
PP*1 2 m
Y92E-S08PP4S 2M Y92E-S08PP4A 2M
PROplus
Robotic (drag chain)
4 pinBrass (CuZn)Robotic PVC 2 m XS3F-M421-402-R XS3F-M422-402-R
Robotic PUR 2 mY92E-M08PUR4S2M-LY92E-M08PUR4A2M-L
High robotic
(drag chain & torsion)
High robotic PUR 2 m Y92E-M08PUR4S2M-RY92E-M08PUR4A2M-R
M12 PRO3 wire Brass (CuZn) PVC 2 m XS2F-M12PVC3S2M-EUXS2F-M12PVC3A2M-EU PUR 2 m
XS2F-M12PUR3S2M-EUXS2F-M12PUR3A2M-EU
4 wirePVC 2 m XS2F-M12PVC4S2M-EUXS2F-M12PVC4A2M-EU PUR 2 m
XS2F-M12PUR4S2M-EUXS2F-M12PUR4A2M-EU
5 wirePVC 2 m XS2F-M12PVC5S2M-EUXS2F-M12PVC5A2M-EU PUR 2 m
XS2F-M12PUR5S2M-EUXS2F-M12PUR5A2M-EU
LITE3 wireBrass(CuZn) PVC 2 m XS2F-LM12PVC3S2MXS2F-LM12PVC3A2M
4 wireXS2F-LM12PVC4S2MXS2F-LM12PVC4A2M
PROplus
3 wireNickel plated
PVC 2 m -XS2F-M12PVC3A2MPLED
LED (power and output
LED, PNP)
4 wire
brass
-XS2F-M12PVC4A2MPLED
3 wire PUR 2 m -XS2F-M12PUR3A2MPLED
4 wire-XS2F-M12PUR4A2MPLED
PROplus
Detergent resistant
Wash-down
4 wire Stainless steel
(SUS316L)
PP*1 2 m Y92E-S12PP4S 2M Y92E-S12PP4A 2M
PROplus
105°C
Heat resistant
4 wire Stainless steel
(SUS316L)
Heat resistant...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / XS2F-M12PUR4A2MPLED with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.