

INDUSTRIAL COMPONENT DATA

Z-15GQ22-B7-K Z15G9574R Z15GQ22B7K OMRON General Purpose Basic Switch, Plunger with Frame Mount Roller, SPDT..

Brand: OMRON | Manufacturer Part Number: Z-15GQ22-B7-K



Manufacturer	OMRON
MPN / Reference	Z-15GQ22-B7-K
Catalog number	Z15GQ22B7K
Category	End switch
Minimum order	1 Pcs
Document ID	EO-BC328E274F
Generated	2026-08-03

Product Overview

General Purpose Basic Switch, Plunger with Frame Mount Roller, SPDT, 15 A, Screw Terminals with Toothed Lock washer
 General purpose basic switch, panel mount roller plunger, SPDT, 15 A, screw terminals with toothed lock washer

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OMRON > Industrial Limit switches / Pushbuttons > Z15**

Additional Product Information

ETIM for 688924 Sensors (EC000030)
 Feature Name
 Feature Value
 Explosion safety category for dust (EF003998)
 None
 Construction type housing (EF004008)
 Cuboid
 Degree of protection (NEMA) (EF011959)
 Other
 Coating housing (EF001601)
 Other
 Degree of protection (IP) (EF005474)

IP00

Type of interface for safety communication (EF003956)

None

Type of electric connection (EF003961)

Other

Type of interface (EF006977)

None

Switching function (EF000189)

Quick-break switch

Housing material (EF001596)

Plastic

Explosion safety category for gas (EF003997)

None

Switching function latching (EF007447)

No

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Forced opening (EF006694)

No

Output electronic (EF006987)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Rated operation current I_e at AC-15, 230 V (EF001385)

15 A

Rated operation current I_e at DC-13, 125 V (EF007085)

0.5 A

Number of safety auxiliary contacts (EF006940)

0

Rated operation current I_e at DC-13, 24 V (EF007087)

6 A

Rated operation current I_e at DC-13, 230 V (EF001386)

0.25 A

Number of contacts as normally closed contact (EF008255)

0

Rated operation current I_e at AC-15, 125 V (EF007082)

15 A

Ambient temperature during operating (EF007515)

-25 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / Z-15GQ22-B7-K with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.