

INDUSTRIAL COMPONENT DATA

ZC-W2155 ZC557401C ZCW2155 OMRON The end of the race miniature

Brand: OMRON | Manufacturer Part Number: ZC-W2155



Manufacturer	OMRON
MPN / Reference	ZC-W2155
Catalog number	ZCW2155
Category	End switch
Minimum order	1 Pcs
Document ID	EO-13ABCD4063
Generated	2026-08-03

Product Overview

The end of the race miniature
Enclosed basic switch, hinge roller lever, SPDT, 15 A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Industrial Limit switches / Pushbuttons > ZC
--------------	--

Additional Product Information

Material housingMetalDegree of protection (IP)IP67Actuator typeHinge roller leverActuator detailLever radius 70 mmConnection methodTerminal blockConduit size8.5 - 10.5 mm cable dia.Cable entry directionLeft or RightNumber of contacts, normally-open0Number of contacts, normally-closed0Number of contacts, change-over1Make before breakSwitch actionSnap actionLoad typeStandard loadWith status indication
ETIM for 106353 Sensors (EC000030)
Feature Name
Feature Value
Explosion safety category for dust (EF003998)
None
Construction type housing (EF004008)
Cuboid
Degree of protection (NEMA) (EF011959)
Other
Coating housing (EF001601)

Other
Degree of protection (IP) (EF005474)
IP67
Alignment of the control element (EF008793)
Other
Type of control element (EF006976)
Roller lever
Type of interface for safety communication (EF003956)
None
Type of electric connection (EF003961)
Other
Type of interface (EF006977)
None
Switching function (EF000189)
Quick-break switch
Housing material (EF001596)
Metal
Explosion safety category for gas (EF003997)
None
Switching function latching (EF007447)
No
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
No
Forced opening (EF006694)
No
Output electronic (EF006987)
No
Number of contacts as change-over contact (EF008257)
1
Number of contacts as normally open contact (EF008256)
0
Rated operation current I_e at AC-15, 230 V (EF001385)
10 A
Rated operation current I_e at DC-13, 125 V (EF007085)
0.05 A
Number of safety auxiliary contact...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / ZC-W2155 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.