

## INDUSTRIAL COMPONENT DATA

# ZX1-LD300A66 0,5M ZX 1173M ZX1LD300A6605M OMRON

## Laser Sensor ZX1 300±150mm 30micras NPN, Cable 0,5 m+connect..

Brand: OMRON | Manufacturer Part Number: ZX1-LD300A66 0,5M



|                 |                         |
|-----------------|-------------------------|
| Manufacturer    | OMRON                   |
| MPN / Reference | ZX1-LD300A66 0,5M       |
| Catalog number  | ZX1LD300A6605M          |
| Category        | Optical distance sensor |
| Minimum order   | 1 Pcs                   |
| Document ID     | EO-33E39F23C3           |
| Generated       | 2026-08-06              |

### Product Overview

Laser Sensor ZX1 300±150mm 30micras NPN, Cable 0,5 m+connector  
Laser displacement sensor, 300 +/- 150 mm, NPN, 0,5m pigtail connector

## STRUCTURED PRODUCT DATA

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

Catalog path OMRON &gt; Advanced sensors &gt; ZX

### Additional Product Information

ETIM for 358752 Sensors (EC001825)  
Feature Name  
Feature Value  
Explosion safety category for dust (EF003998)  
None  
Voltage type (EF000187)  
DC  
Construction type housing (EF004008)  
Cuboid  
Laser protection class (EF004027)  
Class 2  
Degree of protection (NEMA) (EF011959)

Other  
Degree of protection (IP) (EF005474)  
IP67  
Standard for interfaces (EF004017)  
Analogue  
Setting procedure (EF003994)  
Teach-In  
Scanning principle (EF003935)  
Reflection system  
Type of analogy output (EF003958)  
4 mA ... 20 mA  
Material of optical surface (EF004134)  
Glass  
Sensing mode (EF007503)  
Light switching  
Type of switch function (EF003963)  
Programmable/configurable  
Type of electric connection (EF003961)  
Cable with connector  
Housing material (EF001596)  
Plastic  
Type of light (EF004029)  
Laser diode, red light  
Material of cable sheath (EF004136)  
Polyvinyl chloride (PVC)  
Type of switching output (EF003962)  
NPN  
Operation agent-safety class (EF003982)  
Safety class 3  
Explosion safety category for gas (EF003997)  
None  
Measuring principle for optical distance measurement (EF004060)  
Triangulation  
With time function (EF003582)  
Yes  
Pre failure notice (EF004129)  
No  
AWG-number (EF007010)  
26  
Relative linearity deflection (EF004034)  
0.5 %  
Signalling interval (EF003964)  
500 Hz  
Light dot (EF004030)  
0.21 mm<sup>2</sup>  
Width sensor (EF007094)  
27.2 mm

Height of sensor (EF007283)

66 mm

Geometrical resolution (EF004010)

0.03 mm

Max. output current (EF001315)

100 mA

Relative repeat accuracy (EF004100)

0.01 %

Length of sensor (EF007334)

52 mm

Swi...

### REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / ZX1-LD300A66 0,5M with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

#### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.