INDUSTRIAL COMPONENT DATA

FLKM 50-PA-AB/1756/EXTC 2302735 PHOENIX CONTACT Front adapters

Brand: PHOENIX CONTACT | Manufacturer Part Number: FLKM 50-PA-AB/1756/EXTC



Manufacturer	PHOENIX CONTACT
MPN / Reference	FLKM 50-PA-AB/1756/EXTC
Catalog number	2302735
Category	Accessories/spare parts for controls
Minimum order	1 Pcs
Document ID	EO-C2FDD78EB0
Generated	2026-11-18

Product Overview

Front adapters
VARIOFACE front adapter, for Allen Bradley ControlLogix and Honeywell PlantScape, max. 1 x 32 channel connection. The front adapters snap onto the 1756-TBE high caps (original accessory not included in the delivery).

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > INTERFACE Components (IF)

Additional Product Information

Key Commercial Data
Orderkey 2302735
Packing unit 1 pc
Catalog page Page 472 (C-5-2017)
GTIN 4017918910488
Weight per Piece (excluding packing) 39.500 g
Custom tariff number 85369010
Country of origin DE (Germany)
Ambient conditions
Ambient temperature (operation) -20 °C ... 50 °C
Ambient temperature (storage/transport) -20 °C ... 70 °C
General
Max. permissible operating voltage < 50 V AC

60 V DC
Max. permissible current 1 A (per path)
8 A (per connection, supply via separate power supply)
Mounting position any
Degree of protection IP00
Connection data 1
Connection name Controller level
Channels which can be connected 32
Connection data 2
Connection name Field level
Connection method IDC/FLK pin strip
Number of connections 1
Number of positions 50
Pitch 2.54 mm
Connection data 3
Connection name Supply
Connection method Screw connection
Conductor cross section solid 0.14 mm² ... 1.5 mm²
Conductor cross section flexible 0.14 mm² ... 1.5 mm²
Conductor cross section AWG 28 ... 16
Supported controller
Controller ALLEN-BRADLEY ControlLogix
- suitable I/O card 1756-IA16I
1756-IB16D
1756-IB16I
1756-IH16I
1756-OB32
1756-IF8
1756-IF16
1756-HSC
1756-M02AE
1756-IF8H
Controller HONEYWELL Experion PKS C200
- suitable I/O card TC-IDJ 161
TC-IDX 161
TC-IDK 161
TC-ODD 321
TC-IAH 161
Standards and Regulations
Connection in acc. with standard CUL
Standards/regulations DIN EN 50178
IEC 60664
Rated insulation voltage 63 V
Rated surge voltage 0.6 kV
Insulation Functional insulation
Degree of poll...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / FLKM 50-PA-AB/1756/EXTC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.