INDUSTRIAL COMPONENT DATA

CD-HF 30X100 BU 3240589 PHOENIX CONTACT Cable duct for installation and mounting in control cabinets, blue, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: CD-HF 30X100 BU



Manufacturer	PHOENIX CONTACT
MPN / Reference	CD-HF 30X100 BU
Catalog number	3240589
Category	Slotted cable trunking system
Minimum order	12 Pcs
Document ID	EO-BFA5888F5C
Generated	2026-11-19

Product Overview

Cable duct for installation and mounting in control cabinets, blue, halogen-free, comprising upper part and mounting base, width: 30 mm, height: 100 mm, length: 2000 mm
Wiring channel for installation and installation in control cabinets, blue, halogen-free, top and bottom, width: 30 mm, height: 100 mm, length: 2000 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on

Additional Product Information

Key Commercial Data
Orderkey 3240589
Packing unit 1 pc
Minimum order quantity 12 pc
Catalog page Page 579 (C-3-2019)
GTIN 4046356630078
Weight per Piece (excluding packing) 0.000 g
Custom tariff number 39259020
Country of origin DE (Germany)
Drawings
Ambient conditions
Standards and Regulations

Classifications
Dimensions
General
Environmental Product Compliance
Drawings
Dimensional drawing
Base perforation according to DIN EN 50085
Back to topDimensions
Length (b) 2000 mm
Width (a) 30 mm
Height (c) 100 mm
Back to topAmbient conditions
Ambient temperature (operation) -40 °C ... 90 °C
Back to topGeneral
Color blue
5015
Components halogen-free
Flammability rating according to UL 94 V0
Material PC/ABS
Nominal cross section 1875 mm²
Back to topStandards and Regulations
Connection in acc. with standard CSA
Flammability rating according to UL 94 V0
Back to topEnvironmental Product Compliance
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
Back to topClassifications
eCl@ss
eCl@ss 4.0 27140600
eCl@ss 4.1 27140600
eCl@ss 5.0 27140600
eCl@ss 5.1 27140600
eCl@ss 6.0 27400700
eCl@ss 7.0 27400703
eCl@ss 8.0 27400703
eCl@ss 9.0 27400703
Back to topETIM
ETIM 4.0 EC000012
ETIM 5.0 EC000012
ETIM 6.0 EC000012
ETIM 7.0 EC000012
Back to topUNSPSC
UNSPSC 6.01 30101815
UNSPSC 7.0901 30101815
UNSPSC 11 30101815
UNSPSC 12.01 30101815
UNSPSC 13.2 39131712

UNSPSC 18.0 39131712
UNSPSC 19.0 39131712
UNSPSC 20.0 39131712
UNSPSC 21.0 391317...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CD-HF 30X100 BU with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.