
INDUSTRIAL COMPONENT DATA

UM 45- 8RM/MR-G24/1/PLC 2962900 PHOENIX CONTACT Active module

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM 45-8RM/MR-G24/1/PLC



Manufacturer	PHOENIX CONTACT
MPN / Reference	UM 45-8RM/MR-G24/1/PLC
Catalog number	2962900
Category	Interface module
Minimum order	1 Pcs
Document ID	EO-4CFAAAD3E0
Generated	2026-11-18

Product Overview

Active module
VARIOFACE-COMPACT-LINE, output module with 8 miniature relays, 1 open contact respectively, plugged in, for 24 V DC (incl. relay)
VARIOFACE COMPACT LINE, output module with 8 miniature relays, 1 N/O contact each, plugged, for 24 V DC (incl. relay)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > INTERFACE Components (IF)

Additional Product Information

Technical dataProduct propertiesProduct type Interface module
No. of channels 8
Operating mode 100% operating factor
Mechanical service life 2x 107cycles
Compatible components Miniature relay, REL-MR-G 24/1
With components yes
Data management status
Article revision 10
Insulation characteristics
Overvoltage category III
Pollution degree 2

Electrical propertiesRated insulation voltage 300 V AC
Rated surge voltage 4 kV (Basic insulation)
Supported controller SIEMENS S7-400
Suitable I/O card 6ES7422-1BL00-0AA0
6ES7422-7BL00-0AB0
Supported controller GE-FANUC 90-30
Suitable I/O card IC693 MDL732
IC693 MDL740
IC693 MDL742
Supported controller ALLEN-BRADLEY ControlLogix
Suitable I/O card 1756-OB32
1756-OB16E
Supported controller ALLEN-BRADLEY PLC 5
Suitable I/O card 1771 OBN
Supported controller ALLEN-BRADLEY SLC 500
Suitable I/O card 1746 OB16
1746 OB 32
Supported controller HONEYWELL Experion PKS C200
Suitable I/O card TC-ODD 321
Supported controller MITSUBISHI MELSEC Q
Suitable I/O card QY81P
QY82P
Supported controller SIEMENS S7-300 / ET 200 M
Suitable I/O card CPU 313C-2DP
CPU 314C-2DP
CPU 314C-2PtP
6ES7322-1BH01-0AA0
6ES7322-1BL00-0AA0
6ES7323-1BH01-0AA0
6ES7323-1BL00-0AA0
CPU 313C
CPU 313C-2PtP
Supported controller ABB S800 I/O
Suitable I/O card DO810
DO840
Supported controller GE-FANUC RX3i
Suitable I/O card IC694MDL754
Supported controller MITSUBISHI MELSEC L
Suitable I/O card LY41PT1P
LY42PT1P
Input dataNominal input voltage UN 24 V DC
Input voltage range in reference to...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM 45-8RM/MR-G24/1/PLC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.