INDUSTRIAL COMPONENT DATA

UM 45-FLK50/32IM/ZFKDS/PLC 2965224 PHOENIX CONTACT Passive module

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM 45-FLK50/32IM/ZFKDS/PLC

PRODUCT IMAGE\nNOT AVAILABLE

Manufacturer	PHOENIX CONTACT
MPN / Reference	UM 45-FLK50/32IM/ZFKDS/PLC
Catalog number	2965224
Category	Interface module
Minimum order	1 Pcs
Document ID	EO-1D9E1BA7C9
Generated	2026-11-18

Product Overview

Passive module
VARIOFACE-COMPACT-LINE, detector module, for connection of 32 PNP detectors, for installation on the NS 35/7.5 rail, spring connection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > INTERFACE Components (IF)

Additional Product Information

Key Commercial Data
Orderkey 2965224
Packing unit 1 pc
Catalog page Page 481 (C-7-2013)
GTIN 4017918125202
Weight per Piece (excluding packing) 258.980 g
Custom tariff number 85369010
Country of origin DE (Germany)
Dimensions
Width 197 mm
Height 45 mm
Depth 61 mm
Ambient conditions

Ambient temperature (operation) -20 °C ... 50 °C
Ambient temperature (storage/transport) -20 °C ... 70 °C
General
Max. perm. operating voltage 60 V DC
Max. perm. current (per branch) 1 A
Max. permissible current (separate power supply) 2 A (per byte)
Number of positions 50
Status display No
Mounting position any
Degree of protection IP00
Connection data for connection 1
Connection name Field level
Connection method Spring-cage connection
Stripping length 8 mm
Conductor cross section solid 0.2 mm² ... 2.5 mm²
Conductor cross section flexible 0.2 mm² ... 1.5 mm²
Conductor cross section AWG 24 ... 14
Connection data for connection 2
Connection name Controller level
Connection method IDC/FLK pin strip
Number of connections 1
Number of positions 50
Pitch 2.54 mm
Supported controller
Controller SIEMENS S7-400
- suitable I/O card 6ES7 421-1BL01-0AA0
6ES7 422-1BL00-0AA0
6ES7 422-7BL00-0AB0
Controller ALLEN-BRADLEY ControlLogix
- suitable I/O card 1756-IB32
1756-OB32
Controller ALLEN-BRADLEY PLC 5
- suitable I/O card 1771 IBN
1771 OBN
Controller HONEYWELL Experion PKS C200
- suitable I/O card TC-IDD 321
TC-ODD 321
Controller MITSUBISHI MELSEC L
- suitable I/O card LX41C4
LX42C4
LY41NT1P
LY42NT1P
LY41PT1P
L...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM 45-FLK50/32IM/ZFKDS/PLC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.