INDUSTRIAL COMPONENT DATA

# VISU+ 2 RT-D UNLTD AD WEB2 2404634 PHOENIX CONTACT Software

**Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D UNLTD AD WEB2**




| | |
|---|---|
| Manufacturer | PHOENIX CONTACT |
| MPN / Reference | VISU+ 2 RT-D UNLTD AD WEB2 |
| Catalog number | 2404634 |
| Category | Visualization software |
| Minimum order | 1 Pcs |
| Document ID | EO-49D5A15F71 |
| Generated | 2026-11-18 |

## Product Overview

Software
Runtime license for Visu+ including 2 WebClients and Alarm Dispatcher functions without limitation of I/O data and variables in scripting. In addition, 2 direct driver connections are possible.
Runtime license for Visu+ including 2 web clients and alarm dispatcher functions where the I/O data and variables in scripting are not limited. 2 direct driver connections are also supported.

STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

| | |
|---|---|
| Catalog path | PHOENIX CONTACT > Automation Software (AS) |

## Additional Product Information

Technical dataProduct propertiesProduct type Visualization
System propertiesIntended use for the software Visualization
License information
Type of license Runtime license
Functionality
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Web client capability
Advanced alarm management with SMS, FAX, e-mail and voice mail function
Integrated function Online configuration

Password protection
Language selection
Alarm management
Web client
Number of I/O nodes 128000
Number of clients 2
System requirements
Hard disk memory min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers Internet Explorer 5.5 or higher
Languages supported German, English, French, Italian
Optical drive DVD-ROM
Screen resolution 1024 x 768 pixel(s) (XGA)
System requirements for development environment
Operating equipment Keyboard, mouse
Operating system Windows® 11
Windows® 10
Windows® 8.1
Windows® 8
Windows® 7
Windows® Embedded Standard 7
Windows® Server 2019
Windows® Server 2016
Windows® Server 2012 R2
Windows® Server 2012
Windows® Server 2008 R2
Windows® Server 2008
Windows® Server 2003
System requirements for runtime environment
Operating system Windows® 10
Windows® 8.1
Windows® 8
Windows® 7
Windows® Embedded Standard 7
Windows® XP Embedded
Windows® Server 2019
Windows® Server 2016
Windows® Server 2012 R...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D UNLTD AD WEB2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.