INDUSTRIAL COMPONENT DATA

HC-B 06-SMLD-74/O1M32 1460087 PHOENIX CONTACT HEAVYCON B6 box mounting base, with single locking latch and c..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 06-SMLD-74/O1M32



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 06-SMLD-74/O1M32
Catalog number	1460087
Category	Housing for rectangular connectors
Minimum order	10 Pcs
Document ID	EO-5642BCDC57
Generated	2026-11-18

Product Overview

HEAVYCON B6 box mounting base, with single locking latch and cover, height: 74 mm, with 1 x M32 gland
HEAVYCON B6 plinth housing, with longitudinal lock and lid, height 74 mm, with tubing 1 x M32

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data
Orderkey 1460087
Packing unit 1
GTIN 4046356696616
Custom tariff number 85389099
Drawings
Ambient conditions
Environmental Product Compliance
Dimensions
General
Classifications
Drawings

Dimensional drawing
Dimensional drawing
Back to topDimensions
Height 67 mm
Width 57 mm
Length 117 mm
Back to topAmbient conditions
Degree of protection of housing (IP) IP65 (When plugged in)
IP54 (with closed protective cover)
Ambient temperature (operation) -40 °C ... 125 °C
Back to topGeneral
Note For contact inserts HC-B16, BB32, D40, DD72, HS6, M, K
Size B6
Housing type Box mounting bases
Locking type with single locking latch
No. of cable outlets 1
Cable outlet left (view of the opened single locking latch)
Screw connection none
Type of the screw connection 1x M32
Protective cover yes
Housing material Aluminum die-cast
Housing surface material Powder-coated, gray
Seal material NBR
Material lock Stainless steel, handle: PA
Material grip body interlock PA
Material, protective cover PA
Assembly instructions For half and full screw connections
Back to topEnvironmental Product Compliance
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
Back to topClassifications
eCl@ss
eCl@ss 10.0.1 27440202
eCl@ss 4.0 27140800
eCl@ss 4.1 27140800
eCl@ss 5.0 27143400
eCl@ss 5.1 27261200
eCl@ss 6.0 27261200
eCl@ss 7.0 27440202
eCl@ss 8.0 27440202
eCl@ss 9.0 27440202
Back to topETIM
ETIM 3.0 EC000437
ETIM 4.0 EC000437
ETIM 5.0....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 06-SMLD-74/O1M32 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.