INDUSTRIAL COMPONENT DATA

HC-B 24-TFQ-N-O1PG21G 1460220 PHOENIX CONTACT HEAVYCON B24 sleeve housing, for double locking latch, height:..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 24-TFQ-N-O1PG21G



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 24-TFQ-N-O1PG21G
Catalog number	1460220
Category	Housing for rectangular connectors
Minimum order	10 Pcs
Document ID	EO-B605DD9003
Generated	2026-11-19

Product Overview

HEAVYCON B24 sleeve housing, for double locking latch, height: 65 mm, with 1 x Pg21 gland, straight cable outlet
HEAVYCON B24 aerial housing, for transverse lock, height 65 mm, with 1x Pg21 tubing, straight cable outlet

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data
Orderkey 1460220
Packing unit 1 pc
Minimum order quantity 10 pc
GTIN 4046356794244
Weight per Piece (excluding packing) 238.000 g
Custom tariff number 85389099
Country of origin DE (Germany)
Drawings
Ambient conditions
Environmental Product Compliance
Dimensions

General
Classifications
Drawings
Dimensional drawing
Dimensional drawing
Back to topDimensions
Height 65 mm
Width 43 mm
Length 120 mm
Back to topAmbient conditions
Degree of protection of housing (IP) IP65
Ambient temperature (operation) -40 °C ... 125 °C
Back to topGeneral
Note For contact inserts HC-B24, BB46, BBB64, D64, DD108, M
Size B24
Housing type Sleeve housing
Locking type for double locking latch
No. of cable outlets 1
Cable outlet straight
Screw connection none
Type of the screw connection 1x Pg21
Housing material Aluminum die-cast
Housing surface material Powder-coated, gray
Assembly instructions For half and full screw connections
Back to topEnvironmental Product Compliance
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
Back to topClassifications
eCl@ss
eCl@ss 10.0.1 27440202
eCl@ss 4.0 27140800
eCl@ss 4.1 27140800
eCl@ss 5.0 27143400
eCl@ss 5.1 27261200
eCl@ss 6.0 27261200
eCl@ss 7.0 27440202
eCl@ss 8.0 27440202
eCl@ss 9.0 27440202
Back to topETIM
ETIM 3.0 EC000437
ETIM 4.0 EC000437
ETIM 5.0 EC000437
ETIM 6.0 EC000437
ETIM 7.0 EC000437
Back to topUNSPSC
UNSPSC 6.01 31261502
UNSPSC 7.0901 31261502

UNSPSC 11 31261502
UN...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 24-TFQ-N-O1PG21G with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.