INDUSTRIAL COMPONENT DATA

HC-B 48-TFL-96/O1STM50S 1460351 PHOENIX CONTACT HEAVYCON sleeve housing B48, for single locking latch, heigh..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 48-TFL-96/O1STM50S



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 48-TFL-96/O1STM50S
Catalog number	1460351
Category	Housing for rectangular connectors
Minimum order	1 Pcs
Document ID	EO-4B74787B78
Generated	2026-11-19

Product Overview

HEAVYCON sleeve housing B48, for single locking latch, height 96 mm, with thread 1x M50, lateral conductor exit
HEAVYCON B48 aerial housing, for longitudinal flange, height of 96 mm, with 1 x M50 thread, side cable outlet

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data
Orderkey 1460351
Packing unit 1 pc
Catalog page Page 635 (C-2-2017)
GTIN 4046356696579
Weight per Piece (excluding packing) 620.000 g
Custom tariff number 85389099
Country of origin DE (Germany)
Drawings
Ambient conditions
Environmental Product Compliance
Dimensions

General
Classifications
Drawings
Dimensional drawing
Dimensional drawing
Back to topDimensions
Height 96 mm
Width 89 mm
Length 131.5 mm
Back to topAmbient conditions
Degree of protection of housing (IP) IP65
Ambient temperature (operation) -40 °C ... 125 °C
Back to topGeneral
Note For contact inserts HC-B48, DD216, M
Size B48
Housing type Sleeve housing
Color gray
Locking type for single locking latch
No. of cable outlets 1
Cable outlet lateral
Screw connection none
Type of the screw connection 1x M50
Housing material Aluminum die-cast
Housing surface material Powder-coated, gray
Back to topEnvironmental Product Compliance
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
Back to topClassifications
eCl@ss
eCl@ss 10.0.1 27440202
eCl@ss 4.0 27140800
eCl@ss 4.1 27140800
eCl@ss 5.0 27143400
eCl@ss 5.1 27261200
eCl@ss 6.0 27261200
eCl@ss 7.0 27440202
eCl@ss 8.0 27440202
eCl@ss 9.0 27440202
Back to topETIM
ETIM 3.0 EC000437
ETIM 4.0 EC000437
ETIM 5.0 EC000437
ETIM 6.0 EC000437
ETIM 7.0 EC000437
Back to topUNSPSC
UNSPSC 6.01 31261502
UNSPSC 7.0901 31261502

UNSPSC 11 31261502
UNSPSC 12.01 31261502
UNSPSC 13.2 31261501
UNSPSC 18.0 31261501...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 48-TFL-96/O1STM50S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.