INDUSTRIAL COMPONENT DATA

HS LC-F-T6X3-150 1082301 PHOENIX CONTACT Flexible light guide, transparent 3 mm made of PMMA (UL 94-V0) with..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HS LC-F-T6X3-150



Manufacturer	PHOENIX CONTACT
MPN / Reference	HS LC-F-T6X3-150
Catalog number	1082301
Category	Accessories/spare parts for industrial connectors
Minimum order	1 Pcs
Document ID	EO-E086DAB8C3
Generated	2026-11-19

Product Overview

Flexible light guide, transparent 3 mm made of PMMA (UL 94-V0) with 6 mm lens, made of crystal-clear polycarbonate and 6x6 mm LED housing, black polycarbonate PC (UL 94), length: 150 mm unmounted, for SMD TOPLEDs
Flexible, Transparent 3 mm PMMA (UL 94-V0) Light Driver with 6 mm Lens, Clear Polycarbonate (PC) and 6 x 6 mm Black Polycarbonate (PC) LED Housing (UL 94), Length: 150 mm Unmounted, for SMD TOPLED

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)

Additional Product Information

Key Commercial Data
Orderkey 1082301
Packing unit 1 pc
GTIN 4055626812731
Weight per Piece (excluding packing) 20.000 g
Custom tariff number 39269097
Country of origin TN (Tunisia)
Product properties
Material specifications
Packaging details
Dimensions
General information

Classifications
Product properties
Brief article description Fiber optic
Type HS LC-F-T6X3-150
Order No. 1082301
Type Passive, flexible
Alignment Flexible
Number of displays 1 (1 row x 1 column)
ESD protection < 12 kV
Head form Round, planar
Back to topDimensions
Length 150 mm
Diameter 6 mm
Hole diameter 5.5 mm
Back to topMaterial specifications
Color (RAL) transparent
black
Back to topGeneral information
Type of note Assembly instruction:
Note Refer to the data sheet for the range in the download area.
Back to topPackaging details
Pieces per package 1
Denomination packing units Pcs.
Back to topClassifications
eCl@ss
eCl@ss 5.1 27180500
eCl@ss 6.0 27180800
eCl@ss 7.0 27182702
eCl@ss 8.0 27182702
eCl@ss 9.0 27182702
Back to topETIM
ETIM 5.0 EC001031
ETIM 6.0 EC001031
ETIM 7.0 EC001031
Back to topUNSPSC
UNSPSC 13.2 31261501
UNSPSC 18.0 31261501
UNSPSC 19.0 31261501
UNSPSC 20.0 31261501
UNSPSC 21.0 31261501
Back to top

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HS LC-F-T6X3-150 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.