INDUSTRIAL COMPONENT DATA

ME MAX 45 3-3 YE 1053675 PHOENIX CONTACT DIN rail housing, Complete housing with metal foot catch, tall desi..

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME MAX 45 3-3 YE



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME MAX 45 3-3 YE
Catalog number	1053675
Category	Electronic enclosure
Minimum order	100 Pcs
Document ID	EO-26F9458DC2
Generated	2026-11-19

Product Overview

DIN rail housing, Complete housing with metal foot catch, tall design, with vents, width: 45 mm, height: 99 mm, depth: 114.5 mm, color: yellow (1018)
Rail box, Complete housing with metal pin, tall design, with ventilation slits, width: 45.2 mm, height: 99 mm, depth: 113.65 mm, color: yellow (1018), cross-bridge: Bus connector for rail (optional), number of poles cross connector: 5

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)

Additional Product Information

Key Commercial Data
Orderkey 1053675
Packing unit 1
GTIN 4055626686530
Custom tariff number 85472000
Drawings
Dimensions
Ambient conditions
Power dissipation, single housing at 20 °C
Power dissipation, single housing at 40 °C
Power dissipation, single housing at 60 °C
Vibration test

Degrees of protection provided by housings (IP code)
Packaging information
Classifications
Item properties
Material data
PCB data
Power dissipation, single housing at 30 °C
Power dissipation, single housing at 50 °C
Mechanical strength/tumbling barrel
Shock
General information
Standards and regulations
Drawings
Dimensional drawing
Back to topItem properties
Brief article description Electronic housing
Type ME MAX 45 3-3 YE
Order No. 1053675
Housing type DIN rail housing
Type Complete housing with metal foot catch, tall design
Max. IP code to attain IP20
Mounting type DIN rail mounting
Number of levels 3
Connection levels 3 (Both sides)
Ventilation openings present yes
Max. number of positions 60 (pitch: 3.5 mm)
48 (pitch: 5 mm)
36 (pitch: 7.25 mm/7.5 mm)
Back to topDimensions
Dimensional drawing
Width [w] 45 mm
Height [h] 99 mm
Depth [d] 114.5 mm
Depth from top edge of DIN rail [d] 107 mm
Back to topMaterial data
Color (RAL) yellow (1018)
Flammability rating according to UL 94 V0
Housing material Polyamide
Back to topAmbient conditions
Ambient temperature (storage/transport) -40 °C ... 55 °C
Ambient temperature (assembly) -5 °C ... 100 °C
Ambient temperature (operation) -40 °C ... 105 °C....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME MAX 45 3-3 YE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.