INDUSTRIAL COMPONENT DATA

# SAC-4PT-MS/2XFS VP NI 1065842 PHOENIX CONTACT T distributor, 4-position, unshielded, Plug straight M12, S-co..

**Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-4PT-MS/2XFS VP NI**

PRODUCT IMAGE\nNOT AVAILABLE

| | |
|---|---|
| Manufacturer | PHOENIX CONTACT |
| MPN / Reference | SAC-4PT-MS/2XFS VP NI |
| Catalog number | 1065842 |
| Category | Sensor actuator adapter |
| Minimum order | 1 Pcs |
| Document ID | EO-8981E7B855 |
| Generated | 2026-11-19 |

## Product Overview

T distributor, 4-position, unshielded, Plug straight M12, S-coded, on Socket straight M12, S-coded and Socket straight M12, S-coded, Parallel distributor

STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

| | |
|---|---|
| Catalog path | PHOENIX CONTACT > Industrial Field Connectivity (IFC) |

## Additional Product Information

Key Commercial Data
Orderkey 1065842
Packing unit 1
GTIN 4055626801988
Custom tariff number 85444290
Drawings
General
Standards and Regulations
Ambient conditions
Material
Classifications
Drawings
Dimensional drawing
M12 T-distributor

Circuit diagram
Contact assignment of the M12 T distributor
Schematic diagram
Pin assignment of M12 connector, 3-pos.+PE, S-coded, pin side view
Schematic diagram
Pin assignment of M12 socket, 3-pos.+PE, S-coded, socket side view
Back to topAmbient conditions
Degree of protection IP65
IP67
Back to topGeneral
Rated current at 40°C 12 A (at 40 °C)
Rated voltage 630 V AC
Number of positions 4
Color handle area black
Insulation resistance >= 1 G?
Coding S power
Standards/regulations M12 connector IEC 61076-2-111
Status display No
Overvoltage category III
Degree of pollution 2
Insertion/withdrawal cycles > 100
Back to topMaterial
Contact material CuZn
Contact surface material Au
Contact carrier material PA
Material of grip body TPU
Material, knurls Zinc die-cast, nickel-plated
Sealing material FKM
Back to topStandards and Regulations
Standards/specifications M12 connector IEC 61076-2-111
Back to topClassifications
eCl@ss
eCl@ss 9.0 27440106
Back to topETIM
ETIM 6.0 EC002925
ETIM 7.0 EC002925
Back to top

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-4PT-MS/2XFS VP NI with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.