INDUSTRIAL COMPONENT DATA

SAC-4PY-MS-FS/FS VP NI 1065841 PHOENIX CONTACT Y distributor, 4-position, unshielded, Plug straight M12, S-c..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-4PY-MS-FS/FS VP NI

PRODUCT IMAGE\nNOT AVAILABLE

Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-4PY-MS-FS/FS VP NI
Catalog number	1065841
Category	Sensor actuator adapter
Minimum order	1 Pcs
Document ID	EO-2E15285C0D
Generated	2026-11-19

Product Overview

Y distributor, 4-position, unshielded, Plug straight M12, S-coded, on Socket straight M12, S-coded and Socket straight M12, S-coded, Parallel distributor

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial Field Connectivity (IFC)

Additional Product Information

Key Commercial Data
Orderkey 1065841
Packing unit 1
GTIN 4055626801971
Custom tariff number 85444290
Drawings
Ambient conditions
Material
Environmental Product Compliance
Dimensions
General
Standards and Regulations
Classifications
Drawings

Dimensional drawing
M12 Y distributor
Circuit diagram
Contact assignment of the M12 Y distributor
Schematic diagram
Pin assignment of M12 connector, 3-pos.+PE, S-coded, pin side view
Schematic diagram
Pin assignment of M12 socket, 3-pos.+PE, S-coded, socket side view
Back to topDimensions
Center distance 35 mm
Back to topAmbient conditions
Degree of protection IP65
IP67
Back to topGeneral
Rated current at 40°C 12 A (at 40 °C)
Rated voltage 630 V AC
Number of positions 4
Color handle area black
Insulation resistance >= 1 G?
Coding S power
Standards/regulations M12 connector IEC 61076-2-111
Status display No
Overvoltage category III
Degree of pollution 2
Insertion/withdrawal cycles > 100
Back to topMaterial
Contact material CuZn
Contact surface material Au
Contact carrier material PA
Material of grip body TPU
Material, knurls Zinc die-cast, nickel-plated
Sealing material FKM
Back to topStandards and Regulations
Standards/specifications M12 connector IEC 61076-2-111
Back to topEnvironmental Product Compliance
REACh SVHC
Lead 7439-92-1
China RoHS Environmentally Friendly Use Period = 50
For details about hazardous substances go to tab “Downloads”, Category “Manufacturer's declaration”
Back to topClassifications
eCl@ss
eCl@ss 9.0 27440106
Back....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-4PY-MS-FS/FS VP NI with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.