INDUSTRIAL COMPONENT DATA

# VIP-2/PT/FLK14/8P/PLC 2904284 PHOENIX CONTACT Interface module

**Brand: PHOENIX CONTACT | Manufacturer Part Number: VIP-2/PT/FLK14/8P/PLC**



| | |
|---|---|
| Manufacturer | PHOENIX CONTACT |
| MPN / Reference | VIP-2/PT/FLK14/8P/PLC |
| Catalog number | 2904284 |
| Category | Interface module |
| Minimum order | 1 Pcs |
| Document ID | EO-284BD1530B |
| Generated | 2026-11-19 |

## Product Overview

Interface module
VARIOFACE interconnect module, for 8 channels with an additional terminal block for each signal, common positive potential

STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

| | |
|---|---|
| Catalog path | PHOENIX CONTACT > INTERFACE Components (IF) |

## Additional Product Information

Key Commercial Data
Orderkey 2904284
Packing unit 1 pc
Note Made to Order (non-returnable)
Catalog page Page 528 (C-5-2017)
GTIN 4046356813716
Weight per Piece (excluding packing) 118.500 g
Custom tariff number 85366990
Country of origin US (United States)
Dimensions
Width 52 mm
Height 72.1 mm
Depth 56 mm

Ambient conditions
Ambient temperature (operation) -20 °C ... 50 °C
Ambient temperature (storage/transport) -20 °C ... 70 °C
General
Max. perm. operating voltage 60 V AC/DC
Max. perm. current (per branch) 1 A
Max. permissible current (separate power supply) 3 A (per byte)
Number of positions 14
Status display No
Mounting position any
Connection data for connection 1
Connection name Field level
Connection method Push-in connection
Stripping length 8 mm
Conductor cross section solid 0.14 mm² ... 2.5 mm²
Conductor cross section flexible 0.14 mm² ... 2.5 mm²
Conductor cross section AWG 26 ... 14
Connection data for connection 2
Connection name Controller level
Connection method IDC/FLK pin strip
Number of connections 1
Number of positions 14
Pitch 2.54 mm
Supported controller
Controller SIEMENS S7-1500
- suitable I/O card 6ES7 521-1BH00-0AB0
6ES7 521-1BH50-0AA0
6ES7 521-1BL00-0AB0
6ES7 522-1BH00-0AB0
6ES7 522-1BH01-0AB0
6ES7 522-1BL00-0AB0
6ES7 522-1BL01-0AB0
Controller ABB S800 I/O
- suitable I/O card DI810
DI811
DI818
DI830
DI831
DI840
DO814
DO818
Controller ALLEN-BRADLEY ControlLogix
- suitable I/O card 1756-IB32
1756-OB32
1756-IN16
1756-IB16
1756-IC16

1756-OB16E
Controller....

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VIP-2/PT/FLK14/8P/PLC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.