INDUSTRIAL COMPONENT DATA

VIP-3/PT/FLK50/AN/2P/S7-1500 2908499 PHOENIX CONTACT Passive module

Brand: PHOENIX CONTACT | Manufacturer Part Number: VIP-3/PT/FLK50/AN/2P/S7-1500

PRODUCT IMAGE\nNOT AVAILABLE

Manufacturer	PHOENIX CONTACT
MPN / Reference	VIP-3/PT/FLK50/AN/2P/S7-1500
Catalog number	2908499
Category	Interface module
Minimum order	1 Pcs
Document ID	EO-F9778E7E50
Generated	2026-11-19

Product Overview

Passive module
VARIOFACE COMPACT LINE interconnect module for Siemens S7-1500 systems with specific marking S7-1500, with push-in connection, connections for external power distribution, module width: 128.2 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > INTERFACE Components (IF)

Additional Product Information

Key Commercial Data
Orderkey 2908499
Packing unit 1 pc
Note Made to Order (non-returnable)
Catalog page Page 512 (C-5-2017)
GTIN 4055626363516
Weight per Piece (excluding packing) 314.300 g
Custom tariff number 85366990
Country of origin US (United States)
Dimensions
Width 128.2 mm
Height 75.8 mm
Depth 63 mm

Ambient conditions
Ambient temperature (operation) -20 °C ... 60 °C
Ambient temperature (storage/transport) -20 °C ... 70 °C
General
Max. perm. operating voltage 60 V AC/DC
Max. perm. current (per branch) 1 A
Max. permissible current (separate power supply) 7 A
Number of positions 50
Status display No
Mounting position any
Connection data for connection 1
Connection name Field level
Connection method Push-in connection
Stripping length 8 mm
Conductor cross section solid 0.14 mm² ... 2.5 mm²
Conductor cross section flexible 0.14 mm² ... 2.5 mm²
Conductor cross section AWG 26 ... 14
Connection data for connection 2
Connection name Controller level
Connection method IDC/FLK pin strip
Number of connections 1
Number of positions 50
Pitch 2.54 mm
Supported controller
Controller SIEMENS S7-1500
- suitable I/O card 6ES7 531-7KF00-0AB0
6ES7 531-7NF00-0AB0
6ES7 531-7NF10-0AB0
6ES7 531-7PF00-0AB0
6ES7 532-5HF00-0AB0
Standards and Regulations
Standards/regulations IEC 60664
DIN EN 50178
Flammability rating according to UL 94 V0
Environmental Product Compliance
China RoHS Environmentally Friendly Use Period = 50
For details about hazardous substances go to tab “Downloads”, Category “...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VIP-3/PT/FLK50/AN/2P/S7-1500 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.