INDUSTRIAL COMPONENT DATA

VISU+ 2 RT 2048 ANAR WEB1 1106531 PHOENIX CONTACT Runtime license for Visu+ including redundancy, networking..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT 2048 ANAR WEB1



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT 2048 ANAR WEB1
Catalog number	1106531
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-FBEA7972BC
Generated	2026-11-18

Product Overview

Runtime license for Visu+ including redundancy, networking, alarm statistics, and alarm dispatcher functions, and 1 web client in which the I/O data and variables in the scripting are limited to 2048 bytes.
Runtime license for Visu+ plus redundancy, networking, alarm statistics and alarm dispatcher functions and 1 web client with a limitation of I/O data and variables in scripting to 2048 bytes.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)

Additional Product Information

Key Commercial Data
Orderkey 1106531
Packing unit 1
GTIN 4055626989655
Custom tariff number 85234910
License information
Hardware requirements
Classifications
Functions
Software requirements
License information
Intended use for the software Visualization

Type of license Runtime license
Back to topFunctions
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Web client capability
Redundancy function
Advanced alarm management with SMS, FAX, e-mail and voice mail function
Statistical alarm function
Networking
Integrated function Web client
Statistical alarm function
Alarm management
Redundancy
Networking
Online configuration
Password protection
Language selection
Number of I/O nodes 2048 I/O bytes
Back to topHardware requirements
Hard disk min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
CPU Pentium/Celeron, 1.6 GHz
Optical drive DVD-ROM
Monitor resolution XGA (1024 x 768)
Operating equipment Keyboard, mouse
Back to topSoftware requirements
Operating system Windows®XP (SP3)
Windows®Vista Business
Windows®7 Professional SP1 (32-Bit/64-Bit)
Windows®7 Ultimate SP1 (32-Bit/64-Bit)
Windows®8 Professional (32-Bit/64-Bit)
Windows®8 Enterprise (32-Bit/64-Bit)
Windows®Server 2003
Windows®Server 2008
Windows®Server 2008 R2
Windows®10 (32-Bit/64-Bit)
Back to topClassifications
eCl@ss
eCl@ss 8.0 27242...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT 2048 ANAR WEB1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.