INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 2048 OPC 1151401 PHOENIX CONTACT Runtime license for Visu+ including OPC Server functions (DA &..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 2048 OPC

PRODUCT IMAGE\nNOT AVAILABLE

Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 2048 OPC
Catalog number	1151401
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-2AF803871D
Generated	2026-11-19

Product Overview

Runtime license for Visu+ including OPC Server functions (DA & UA) with a limitation of I/O data and variables in scripting to 2048 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)

Additional Product Information

Technical dataItem PropertiesProduct Type Visualization Software
System PropertiesPurpose of use of the software Visualization
License Information
License Type Runtime License
Functionality
Basic Functionality Protection of know-how and security through encryption of projects
Real-time database coupling with ODBC to MS ACCESS, MS EXCEL and SQL-Server
FDA CFR 21 Part 11 compliant
Expanded Functionality Visu+ as an OPC server (DA and UA)
Built-in function Online design
Password protection
Language switching

OPC Server
Number of I/O Points 2048
System Requirements
Hard Disk Memory min. 1 Gbyte(s) (recommended: 2 GByte)
Working Memory min. 1 Gbyte(s) (2 GByte with Windows Vista and Windows 7)
Browser Held Internet Explorer from version 5.5
Sustained National Languages German, English, French, Italian
Optical Disk Drive DVD-ROM
Screen Resolution 1024 x 768 pixel(s) (XGA)
Development Environment System Requirement
Operation Equipment Keyboard, mouse
Operating system Windows®11
Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
Runtime System Requirement
Operating system Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®XP Embedded
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
Windows®CE 5.0....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 2048 OPC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.