INDUSTRIAL COMPONENT DATA

# VISU+ 2 RT-D 4096 AS 1271551 PHOENIX CONTACT Runtime license for Visu+ including Alarm Statistics functions ..

**Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 4096 AS**



| | |
|---|---|
| Manufacturer | PHOENIX CONTACT |
| MPN / Reference | VISU+ 2 RT-D 4096 AS |
| Catalog number | 1271551 |
| Category | Visualization software |
| Minimum order | 1 Pcs |
| Document ID | EO-4E1AAF1690 |
| Generated | 2026-11-18 |

## Product Overview

Runtime license for Visu+ including Alarm Statistics functions with a limitation of I/O data and variables in scripting to 4096 bytes. In addition, 2 direct driver connections are possible.
Runtime license for Visu+ including the function alarm statistics, with the I/O data and variables in the scripting limited to 4096 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

| | |
|---|---|
| Catalog path | PHOENIX CONTACT > Automation Software (AS) |

## Additional Product Information

Technical dataProduct propertiesProduct type Visualization
System propertiesIntended use for the software Visualization
License information
Type of license Runtime license
Functionality
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Statistical alarm function
Integrated function Statistical alarm function
Online configuration
Password protection

Language selection
Number of I/O nodes 4096
System requirements
Hard disk memory min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers Internet Explorer 5.5 or higher
Languages supported German, English, French, Italian
Optical drive DVD-ROM
Screen resolution 1024 x 768 pixel(s) (XGA)
System requirements for development environment
Operating equipment Keyboard, mouse
Operating system Windows®11
Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
System requirements for runtime environment
Operating system Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®XP Embedded
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
Windows®CE 5.0
Windows®CE 6...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 4096 AS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.