INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 512 AD WEB3 1097027 PHOENIX CONTACT Runtime license for Visu+ including the alarm dispatcher fu..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 512 AD WEB3



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 512 AD WEB3
Catalog number	1097027
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-104B584870
Generated	2026-11-19

Product Overview

Runtime license for Visu+ including the alarm dispatcher functions and three web clients in which the I/O data and variables in the scripting are limited to 512 bytes. In addition, two direct driver connections are also possible.
Runtime license for Visu+ including alarm dispatcher functions and 3 web clients with a limitation of I/O data and variables in scripting to 512 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)

Additional Product Information

Key Commercial Data
Orderkey 1097027
Packing unit 1
GTIN 4055626935454
Custom tariff number 85234130
License information
Hardware requirements
Classifications
Functions
Software requirements
License information
Intended use for the software Visualization

Type of license Runtime license
Back to topFunctions
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Web client capability
Advanced alarm management with SMS, FAX, e-mail and voice mail function
Integrated function Web client
Alarm management
Networking
Online configuration
Password protection
Language selection
Number of I/O nodes 512 I/O bytes
Back to topHardware requirements
Hard disk min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
CPU Pentium/Celeron, 1.6 GHz
Optical drive DVD-ROM
Monitor resolution XGA (1024 x 768)
Operating equipment Keyboard, mouse
Back to topSoftware requirements
Operating system Windows®XP (SP3)
Windows®Vista Business
Windows®7 Professional SP1 (32-Bit/64-Bit)
Windows®7 Ultimate SP1 (32-Bit/64-Bit)
Windows®8 Professional (32-Bit/64-Bit)
Windows®8 Enterprise (32-Bit/64-Bit)
Windows®Server 2003
Windows®Server 2008
Windows®Server 2008 R2
Windows®10 (32-Bit/64-Bit)
Back to topClassifications
eCl@ss
eCl@ss 8.0 27242502
eCl@ss 9.0 27242502
Back to topETIM
ETIM 5.0 EC001416
ETIM 6.0 EC001416
ETIM 7.0 EC001416
Bac...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 512 AD WEB3 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.