INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 8192 OPC 1109302 PHOENIX CONTACT Runtime license for Visu+ including the OPC server (DA and UA)..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 8192 OPC



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 8192 OPC
Catalog number	1109302
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-5DE1B72831
Generated	2026-11-19

Product Overview

Runtime license for Visu+ including the OPC server (DA and UA) function, in which the I/O data and variables in scripting are limited to 8192 bytes. In addition, 2 direct driver connections are also possible.
Runtime license for Visu+ including OPC Server (DA & UA) feature with a limitation to 8192 bytes for I/O data and scripting variables. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)

Additional Product Information

Key Commercial Data
Orderkey 1109302
Packing unit 1
GTIN 4063151020385
Custom tariff number 85234910
License information
Hardware requirements
Classifications
Functions
Software requirements

License information
Intended use for the software Visualization
Type of license Runtime license
Back to topFunctions
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Visu+ as OPC server (DA & UA)
Integrated function OPC server
Online configuration
Password protection
Language selection
Number of I/O nodes 8192 I/O bytes
Back to topHardware requirements
Hard disk min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
CPU Pentium/Celeron, 1.6 GHz
Optical drive DVD-ROM
Monitor resolution XGA (1024 x 768)
Operating equipment Keyboard, mouse
Back to topSoftware requirements
Operating system Windows®XP (SP3)
Windows®Vista Business
Windows®7 Professional SP1 (32-Bit/64-Bit)
Windows®7 Ultimate SP1 (32-Bit/64-Bit)
Windows®8 Professional (32-Bit/64-Bit)
Windows®8 Enterprise (32-Bit/64-Bit)
Windows®Server 2003
Windows®Server 2008
Windows®Server 2008 R2
Windows®10 (32-Bit/64-Bit)
Back to topClassifications
eCl@ss
eCl@ss 8.0 27242502
eCl@ss 9.0 27242502
Back to topETIM
ETIM 5.0 EC001416
ETIM 6.0 EC001416
ETIM 7.0 EC001416
Back to top

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 8192 OPC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.