INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D UNLTD ARA WEB10 1547761 PHOENIX CONTACT Runtime license for Visu+ including 10 WebClient and Al..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D UNLTD ARA WEB10



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D UNLTD ARA WEB10
Catalog number	1547761
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-7FC2EFE051
Generated	2026-11-18

Product Overview

Runtime license for Visu+ including 10 WebClient and Alarm Statistics, Alarm Dispatcher, unlimited redundancy of I/O data and variables in scripting. In addition, 2 direct controller connections are possible.
Runtime license for Visu+ including 10 web clients and alarm statistics, alarm dispatcher, and redundancy functions without limitation of the I/O data and variables in the scripting. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)

Additional Product Information

Technical dataProduct propertiesProduct type Visualization
System propertiesIntended use for the software Visualization
License information
Type of license Runtime license
Functionality
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Statistical alarm function
Web client capability

Redundancy function
Advanced alarm management with SMS, FAX, e-mail and voice mail function
Integrated function Online configuration
Password protection
Language selection
Statistical alarm function
Alarm management
Web client
Redundancy
Number of I/O nodes 128000
Number of clients 10
System requirements
Hard disk memory min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers Internet Explorer 5.5 or higher
Languages supported German, English, French, Italian
Optical drive DVD-ROM
Screen resolution 1024 x 768 pixel(s) (XGA)
System requirements for development environment
Operating equipment Keyboard, mouse
Operating system Windows®11
Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
System requirements for runtime environment
Operating system Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®XP Embedd...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D UNLTD ARA WEB10 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.