

INDUSTRIAL COMPONENT DATA

A 16 -32 1090633 PHOENIX CONTACT Ferrule, length: 32 mm, color: silver

Brand: PHOENIX CONTACT | Manufacturer Part Number: A 16-32



Manufacturer	PHOENIX CONTACT
MPN / Reference	A 16-32
Catalog number	1090633
Category	Cable end sleeve
Minimum order	250 Pcs
Document ID	EO-21B33807B3
Generated	2026-08-02

Product Overview

Ferrule, length: 32 mm, color: silver

Toe cap, colour: silver

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Ferrules
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1090633

Packing unit 1 pc

Minimum order quantity 250 pc

Catalog page Page 480 (C-3-2019)

GTIN 4055626900896

Weight per Piece (excluding packing) 0.000 g

Custom tariff number 85369010

Country of origin DE (Germany)

Dimensions
General
Ambient conditions
Classifications
Dimensions

Length (b) 32 mm
Maximum stripping length 32 mm
Inner dimension of the insulating collar (d) 7.5 mm
Ferrule diameter 5.8 mm
Sleeve wall thickness 0.2 mm
[Back to top](#)Ambient conditions
Short-term temperature 120 °C
Max. permanent temperature 105 °C
[Back to top](#)General
Color silver
Material CU-DHP
Coating tin-plated (galvanic)
Conductor category Stranded conductors, class 2, 5, 6 / B, C, K, M
[Back to top](#)Classifications
eCl@ss
eCl@ss 8.0 27400201
eCl@ss 9.0 27400201
[Back to top](#)ETIM
ETIM 5.0 EC000005
ETIM 6.0 EC000005
ETIM 7.0 EC000005
[Back to top](#)
ETIM for 1090633 Cable terminations and insulation products (EC000005)
Feature Name
Feature Value
Nominal cross section (EF001335)
16 mm²
Sleeve length (EF000014)
32 mm
Insulated (EF000019)
No
Halogen free (EF000025)
No
Surface protection (EF000139)
Other
For cables resistant to short circuit (EF001713)
No
With identification flag (EF007954)
No
AWG size (EF011789)
6

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / A 16-32 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.