


INDUSTRIAL COMPONENT DATA

SF-SL 0,6X3,5-100 S-VDE 1212587 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-SL 0,6X3,5-100 S-VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-SL 0,6X3,5-100 S-VDE
Catalog number	1212587
Category	Screwdriver for slot head screws
Minimum order	10 Pcs
Document ID	EO-964D1A3FC8
Generated	2026-08-04

Product Overview

Screwdriver

Reduced screwdriver, for ST terminals, VDE insulation, with fine insulation integrated into the rod, also as slotted screw screwdriver, size: 0.6x3.5x100 mm, 2-component handle, with anti-unwind protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212587

Packing unit 10 pc

Catalog page Page 446 (C-3-2017)

GTIN 4046356590228

Weight per Piece (excluding packing) 37.840 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 181 mm

Width (a) 26 mm

Blade thickness 0.6 mm

Blade width 3.5 mm

Blade height 100 mm

Wrench size 0 mm

General

Type Bladed

straight

Material alloyed tool steel

Test standard DIN/ISO 2380-1 IEC 60900:2004

Weight 34 g

Standards and Regulations

Test standard DIN/ISO 2380-1 IEC 60900:2004

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040407eCl@ss 4.021040402eCl@ss 4.121040402eCl@ss 5.021040402eCl@ss 5.121040400eCl@ss 6.021040400eCl@ss 7.021040407eCl@ss 8.021040407eCl@ss 9.021040407

ETIM 4.0EC000158ETIM 5.0EC000158ETIM 6.0EC000158

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC 13.227111701

ETIM for 1212587 Hand tools (EC000158)

Feature Name

Feature Value

Blade width (EF001810)

3.5 mm

Blade thickness (EF001811)

0.6 mm

Blade length (EF001796)

100 mm

Blade diameter (EF008945)

3.5 mm

Total length (EF000369)

181 mm

Precision model (EF006118)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

Yes

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antima...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-SL 0,6X3,5-100 S-VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.