


INDUSTRIAL COMPONENT DATA

SZF 3-1,0X5,5 1206612 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SZF 3-1,0X5,5



Manufacturer	PHOENIX CONTACT
MPN / Reference	SZF 3-1,0X5,5
Catalog number	1206612
Category	Screwdriver for slot head screws
Minimum order	10 Pcs
Document ID	EO-3703698F8A
Generated	2026-08-03

Product Overview

Screwdriver

ST terminal block actuation tool, also suitable as a flat screwdriver, size: 1.0 x 5.5 x 150 mm, 2-component handle, with anti-unwind protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1206612

Packing unit 10 pc

Catalog page Page 448 (C-3-2017)

GTIN 4017918174453

Weight per Piece (excluding packing) 80.900 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 248 mm

Width (a) 33 mm

Blade thickness 1 mm

Blade width 5.5 mm

Blade height 150 mm

Wrench size 0 mm

General

Type Bladed

Material alloyed tool steel

Test standard DIN/ISO 2380-1

Weight 82 g

Standards and Regulations

Test standard DIN/ISO 2380-1

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040407eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss

6.021040400eCl@ss 7.021040407eCl@ss 8.021040407eCl@ss 9.021040407

ETIM 2.0EC000158ETIM 3.0EC000158ETIM 4.0EC000158ETIM 5.0EC000158ETIM 6.0EC000158

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC

13.227111701

ETIM for 1206612 Hand tools (EC000158)

Feature Name

Feature Value

Blade width (EF001810)

5.5 mm

Blade thickness (EF001811)

1 mm

Blade length (EF001796)

150 mm

Blade diameter (EF008945)

5.5 mm

Total length (EF000369)

248 mm

Precision model (EF006118)

No

Insulated (EF000019)

No

Isolation protection 1000 V (EF001463)

Yes

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF00...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SZF 3-1,0X5,5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.