

INDUSTRIAL COMPONENT DATA

SZS 0,6X3,5 1205053 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SZS 0,6X3,5



Manufacturer	PHOENIX CONTACT
MPN / Reference	SZS 0,6X3,5
Catalog number	1205053
Category	Screwdriver for slot head screws
Minimum order	10 Pcs
Document ID	EO-FDEC02C3EE
Generated	2026-07-31

Product Overview

Screwdriver

ST terminal block actuation tool, insulated, also suitable as a flat screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component handle, with anti-unwind protection

Actuation tool, for ST terminal blocks, insulated, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesEnvironmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Screwdriver tools

Type Bladed

Connection dataOutput Bladed

DimensionsDimensional drawing

Width 26 mm

Blade width 3.5 mm

Blade height 100 mm

Length 181 mm

Wrench size 0 mm

Wrench size for mounting 0 mm

Blade thickness 0.6 mm

Material specificationsMaterial alloyed tool steel

Standards and regulationsTests DIN/ISO 2380-1

ETIM for 1205053 Hand tools (EC000158)

Feature Name

Feature Value

Blade width (EF001810)

3.5 mm

Blade thickness (EF001811)

0.6 mm

Blade length (EF001796)

100 mm

Blade diameter (EF008945)

3.5 mm

Total length (EF000369)

181 mm

Precision model (EF006118)

No

Insulated (EF000019)

No

Isolation protection 1000 V (EF001463)

No

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF001031)

No

Clamp feature (EF005937)

No

Bulged blade (EF009755)

No

Cap rotatable (EF011317)

No

Continuous blade (EF014983)

No

Weight (EF000167)

34.65 g

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SZS 0,6X3,5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.