

INDUSTRIAL COMPONENT DATA

HC-B-TA-PG29-ER-AL 1414263 PHOENIX CONTACT Adapter

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B-TA-PG29-ER-AL



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B-TA-PG29-ER-AL
Catalog number	1414263
Category	Cable gland
Minimum order	1 Pcs
Document ID	EO-8F04281DD8
Generated	2026-08-03

Product Overview

Adapter

Adapter, aluminum, for EVO housing, Pg29 thread

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces
--------------	--

Additional Product Information

Technical dataProduct propertiesProduct type Thread adapter

Application Bayonet B - Pg

Type of the screw connection Pg29

Data management status

Article revision 01

Connection dataTightening torque ... 10 Nm

DimensionsDimensional drawing

Thread type on seal side Pg29

Internal dimensions

Length of internal thread 13 mm

Material specificationsColor Aluminum color

Material Die-cast aluminum, corrosion-resistant

Seal material O-ring NBR

Housing material Die-cast aluminum, corrosion resistant

Mechanical propertiesMechanical data

Type of the screw connection Pg29
Environmental and real-life conditions Ambient conditions
Degree of protection IP66
IP67
Enclosure rating (NEMA) 4 (UL 50e)
4X (UL 50e)
12 (UL 50e)
Ambient temperature (operation) -40 °C ... 125 °C
ETIM for 1414263 Cable glands and cable entry products (EC000441)
Feature Name
Feature Value
Thread type (EF001758)
None
Nominal thread size inch/gas pipe thread (EF007838)
Other
Material (EF002169)
Metal
Material quality (EF001257)
Aluminium
Surface protection (EF000139)
Untreated
Halogen free (EF000025)
No
Degree of protection (IP) (EF005474)
IP66
Bend radius protection/trumpet flare (EF000734)
No
With locknut (EF005049)
No
Snapping in opening (EF012547)
Yes
Model (EF000010)
Straight
Multi seal area (EF005004)
No
Type of sealing (EF001217)
EV009696
Separable screw gland (EF005337)
No
Operating temperature (EF001742)
-40 °C
Explosion-tested version (EF004191)
No
For Ex-zone gas (EF005728)
None
For Ex-zone dust (EF008404)
None

Fo...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B-TA-PG29-ER-AL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.