

INDUSTRIAL COMPONENT DATA

HC-B-TA-NPT-1 1/4-PLR-BK 1414254 PHOENIX CONTACT Adapter

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B-TA-NPT-1 1/4-PLR-BK



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B-TA-NPT-1 1/4-PLR-BK
Catalog number	1414254
Category	Cable gland
Minimum order	1 Pcs
Document ID	EO-878F57E5BD
Generated	2026-08-05

Product Overview

Adapter

Plastic thread adapter with bayonet lock, for EVO B housing series, NPT 1 1/4" thread

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial plug-in connectors/interfaces**

Additional Product Information

Technical dataProduct propertiesProduct type Thread adapter

Application Bayonet B - NPT

Data management status

Article revision 01

Connection dataTightening torque ... 10 Nm

DimensionsDimensional drawing

Thread type on seal side 1 1/4 in. NPT

Internal dimensions

Length of internal thread 17 mm

Material specificationsFlammability rating according to UL 94 V0

Seal material NBR

Housing material PA

Environmental and real-life conditionsAmbient conditions

Degree of protection IP66

Ambient temperature (operation) -40 °C ... 80 °C

MountingAssembly note Bayonet locking max. 3x can be removed

The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. For this reason, only plastic cable protection systems or plastic cable glands may be used.

ETIM for 1414254 Cable glands and cable entry products (EC000441)

Feature Name

Feature Value

Thread type (EF001758)

None

Nominal thread size inch/gas pipe thread (EF007838)

Other

Material (EF002169)

Other

Material quality (EF001257)

Other

Surface protection (EF000139)

Other

Halogen free (EF000025)

No

Degree of protection (IP) (EF005474)

IP66

Colour (EF000007)

Black

Bend radius protection/trumpet flare (EF000734)

No

With locknut (EF005049)

No

Snapping in opening (EF012547)

Yes

Model (EF000010)

Straight

Separable screw gland (EF005337)

No

Operating temperature (EF001742)

-40 °C

Explosion-tested version (EF004191)

No

For Ex-zone gas (EF005728)

None

For Ex-zone dust (EF008404)

None

For armoure...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B-TA-NPT-1 1/4-PLR-BK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.