

**INDUSTRIAL COMPONENT DATA**

# AXC F XT SPLC 3000 1160157 PHOENIX CONTACT AXC F XT SPLC 3000 is a safety-oriented, left-aligned control sys..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXC F XT SPLC 3000



|                 |                    |
|-----------------|--------------------|
| Manufacturer    | PHOENIX CONTACT    |
| MPN / Reference | AXC F XT SPLC 3000 |
| Catalog number  | 1160157            |
| Category        | PLC CPU-module     |
| Minimum order   | 1 Pcs              |
| Document ID     | EO-AE44E38C43      |
| Generated       | 2026-08-03         |

## Product Overview

AXC F XT SPLC 3000 is a safety-oriented, left-aligned control system for the operation of PROFIsafe devices. The SPLC 3000 connects to the modular control systems AXC F 2152 or AXC F 3152 of the PLCnext Control series.

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Control Systems (CST)

## Additional Product Information

ETIM for 1160157 PLC's (EC000236)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Model (EF000010)

Modular

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number of HW-interfaces USB (EF003025)

0

Number of HW-interfaces parallel (EF003026)

0

Number of HW-interfaces wireless (EF006933)

0

Number of HW-interfaces other (EF003027)

0

Number of analogue outputs (EF001995)

0

Number of analogue inputs (EF001994)

0

Number of digital inputs (EF001992)

0

Number of digital outputs (EF001993)

0

Supporting protocol for TCP/IP (EF003050)

No

Supporting protocol for PROFIBUS (EF003052)

No

Supporting protocol for CAN (EF003053)

No

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for INTERBUS (EF003054)

No

Supporting protocol for ASI (EF003051)

No

Supporting protocol for KNX (EF003055)

No

Supporting protocol for Modbus (EF003057)

No

Supporting protocol for Data-Highway (EF003058)

No

Supporting protocol for DeviceNet (EF003059)

No

Supporting protocol for SUCONET (EF003060)

No

Supporting protocol for LON (EF003017)

No

Supporting protocol for PROFINET IO (EF007525)

No

Supporting protocol for PROFINET CBA (EF007524)

No

Supporting protocol for SERCOS (EF006657)

No

Supporting protocol for Foundation Fieldbus (EF007522)

No

Supporting protocol f...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXC F XT SPLC 3000 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.