

INDUSTRIAL COMPONENT DATA

AXL F AI8 P HART XC 1F 1215394 PHOENIX CONTACT

Axioline F, Analog Input Module, Passive Analog Inputs: 8 (HA..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL F AI8 P HART XC 1F



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL F AI8 P HART XC 1F
Catalog number	1215394
Category	Fieldbus, decentr. periphery - analogue I/O module
Minimum order	1 Pcs
Document ID	EO-095E0B45DA
Generated	2026-08-04

Product Overview

Axioline F, Analog Input Module, Passive Analog Inputs: 8 (HART), 0 mA ... 20 mA, 4 mA... 20 mA, connection technology: 2 conductors, transmission rate on the local bus: 100 MBit/s, Variant Extreme Conditions, HART - Functionality, HART - Functionality, protection rating: IP20, including bus socket module and Axioline F connectors

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > I/O

Additional Product Information

ETIM for 1215394 PLC's (EC001596)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Input, current (EF003204)

Yes

Input, voltage (EF003205)

No

Input, resistor (EF003206)

No

Input, resistance thermometer (EF003207)

No

Input, thermocouple (EF003208)

No

Input signal, configurable (EF003209)

Yes

Resolution of the analogue inputs (EF003575)

12 Bit

Output, current (EF003212)

No

Output, voltage (EF003213)

No

Output signal configurable (EF003214)

No

Number of analogue inputs (EF001994)

8

Number of analogue outputs (EF001995)

0

Analogue inputs configurable (EF008518)

Yes

Analogue outputs configurable (EF008519)

No

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number of HW-interfaces serial TTY (EF003024)

0

Number of HW-interfaces parallel (EF003026)

0

Number of HW-interfaces wireless (EF006933)

0

Number of HW-interfaces USB (EF003025)

0

Number of HW-interfaces other (EF003027)

0

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for TCP/IP (EF003050)

No
Supporting protocol for PROFIBUS (EF003052)
No
Supporting protocol for CAN (EF003053)
No
Supporting protocol for INTERBUS (EF003054)
No
Supporting protocol for ASI (EF003051)
No
Supporting protocol for KNX (EF003055)
No
Supporting protocol for Modbus (EF003057)
No
Supporting proto...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL F AI8 P HART XC 1F with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.