

INDUSTRIAL COMPONENT DATA

AXL F BP SE4 1088135 PHOENIX CONTACT Axioline F, Backplane, 4 slots for Axioline Smart Elements, transmissio..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL F BP SE4



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL F BP SE4
Catalog number	1088135
Category	Fieldbus, decentr. periphery - power supply/segment module
Minimum order	1 Pcs
Document ID	EO-A0A0500D9D
Generated	2026-08-06

Product Overview

Axioline F, Backplane, 4 slots for Axioline Smart Elements, transmission rate on local bus: 100 MBit/s, protection rating: IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > I/O

Additional Product Information

ETIM for 1088135 PLC's (EC001600)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0
Number of HW-interfaces RS-485 (EF003023)
0
Number of HW-interfaces serial TTY (EF003024)
0
Number of HW-interfaces parallel (EF003026)
0
Number of HW-interfaces wireless (EF006933)
0
Number of HW-interfaces USB (EF003025)
0
Number of HW-interfaces other (EF003027)
0
With optical interface (EF003028)
No
System accessory (EF004118)
Yes
Degree of protection (IP) (EF005474)
IP20
Type of electric connection (EF003961)
Other
With potential separation (EF003272)
Yes
With power supply module (EF003993)
No
Suitable as segment module (EF004104)
Yes
Remote module (EF006653)
No
Fieldbus connection over separate bus coupler possible (EF004002)
Yes
Bus diagnosis possible (EF003989)
No
Suitable for rail mounting (EF003972)
Yes
Wall mounting/direct mounting (EF007020)
No
Front built-in possible (EF007016)
No
Rack-assembly possible (EF007018)
No
Suitable for safety functions (EF001597)
No
SIL according to IEC 61508 (EF009889)
None
Performance level according to EN ISO 13849-1 (EF007399)
None

Appendant operation agent (Ex ia) (EF004141)

No

Appendant operation agent (Ex ib) (EF004142)

No

Explosion safety category for gas (EF003997)

None

Explosion safety category for dus...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL F BP SE4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.