

INDUSTRIAL COMPONENT DATA

AXL F PSAI8 I 1F 1061424 PHOENIX CONTACT Axioline F, Analog Input Module, Functional Safety, PROFIsafe, Only..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL F PSAI8 I 1F



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL F PSAI8 I 1F
Catalog number	1061424
Category	Fieldbus, decentr. periphery - analogue I/O module
Minimum order	1 Pcs
Document ID	EO-39A44CE874
Generated	2026-08-05

Product Overview

Axioline F, Analog Input Module, Functional Safety, PROFIsafe, Only for connection to Phoenix Contact or Siemens control systems in PROFINET systems, Safe analog inputs: 8 (1-channel assignment), 4 (2-channel assignment), 4 mA ... 20 mA, connection technology: 2 conductors (shielded, twisted in pairs), protection rating: IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Safety

Additional Product Information

ETIM for 1061424 PLC's (EC001596)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Input, current (EF003204)

Yes

Input, voltage (EF003205)

No

Input, resistor (EF003206)

No

Input, resistance thermometer (EF003207)

No

Input, thermocouple (EF003208)

No

Input signal, configurable (EF003209)

No

Resolution of the analogue inputs (EF003575)

16 Bit

Output, current (EF003212)

No

Output, voltage (EF003213)

No

Output signal configurable (EF003214)

No

Number of analogue inputs (EF001994)

8

Number of analogue outputs (EF001995)

0

Analogue inputs configurable (EF008518)

No

Analogue outputs configurable (EF008519)

No

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number of HW-interfaces serial TTY (EF003024)

0

Number of HW-interfaces parallel (EF003026)

0

Number of HW-interfaces wireless (EF006933)

0

Number of HW-interfaces USB (EF003025)

0

Number of HW-interfaces other (EF003027)

0

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for TCP/IP (EF003050)

No

Supporting protocol for PROFIBUS (EF003052)

No
Supporting protocol for CAN (EF003053)
No
Supporting protocol for INTERBUS (EF003054)
No
Supporting protocol for ASI (EF003051)
No
Supporting protocol for KNX (EF003055)
No
Supporting protocol for Modbus (EF003057)
No
Supporting protoco...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL F PSAI8 I 1F with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.