

INDUSTRIAL COMPONENT DATA

AXL P BK PN 1132800 PHOENIX CONTACT Axioline P, Bus coupler, PROFINET, RJ45 female, local bus transmission r..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL P BK PN



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL P BK PN
Catalog number	1132800
Category	Fieldbus, decentr. periphery - communication module
Minimum order	1 Pcs
Document ID	EO-59E1C85C66
Generated	2026-08-06

Product Overview

Axioline P, Bus coupler, PROFINET, RJ45 female, local bus transmission rate: 100 MBit/s, protection rating: IP20, including bus socket module and male connector

Axioline P bus coupler for PROFINET. Establishes connections to Axioline P I/O modules along the AXIOLINE P local bus. (Includes power supply connector and bus socket module)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > I/O

Additional Product Information

ETIM for 1132800 PLC's (EC001604)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Radio standard Bluetooth (EF007178)

No

Radio standard WLAN 802.11 (EF007179)

No

Radio standard GPRS (EF008523)

No
IO link master (EF007298)
No
System accessory (EF004118)
Yes
Degree of protection (IP) (EF005474)
IP20
With potential separation (EF003272)
No
Fieldbus connection over separate bus coupler possible (EF004002)
Yes
Suitable for rail mounting (EF003972)
Yes
Wall mounting/direct mounting (EF007020)
No
Front built-in possible (EF007016)
No
Rack-assembly possible (EF007018)
No
Suitable for safety functions (EF001597)
No
Performance level according to EN ISO 13849-1 (EF007399)
None
Appendant operation agent (Ex ia) (EF004141)
No
Appendant operation agent (Ex ib) (EF004142)
No
Explosion safety category for gas (EF003997)
None
Explosion safety category for dust (EF003998)
None
Width (EF000008)
45 mm
Height (EF000040)
125.893514 mm
Depth (EF000049)
74.25 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL P BK PN with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.