

**INDUSTRIAL COMPONENT DATA**

# AXL SE AO4 U 0-10 1088126 PHOENIX CONTACT Axioline Smart Elements, Analog output module, Analog outputs: 4, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL SE AO4 U 0-10



|                 |                                                    |
|-----------------|----------------------------------------------------|
| Manufacturer    | PHOENIX CONTACT                                    |
| MPN / Reference | AXL SE AO4 U 0-10                                  |
| Catalog number  | 1088126                                            |
| Category        | Fieldbus, decentr. periphery - analogue I/O module |
| Minimum order   | 1 Pcs                                              |
| Document ID     | EO-06CA11A02B                                      |
| Generated       | 2026-08-02                                         |

## Product Overview

Axioline Smart Elements, Analog output module, Analog outputs: 4, 0 V ... 10 V, connection technology: 2 conductors, protection rating: IP20

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; I/O

## Additional Product Information

ETIM for 1088126 PLC's (EC001596)

Feature Name

Feature Value

Voltage type (supply voltage) (EF002991)

DC

Input, current (EF003204)

No

Input, voltage (EF003205)

No

Input, resistor (EF003206)

No

Input, resistance thermometer (EF003207)

No

Input, thermocouple (EF003208)

No  
Input signal, configurable (EF003209)  
No  
Output, current (EF003212)  
No  
Output, voltage (EF003213)  
Yes  
Output signal configurable (EF003214)  
No  
Resolution of the analogue outputs (EF003577)  
12 Bit  
Number of analogue inputs (EF001994)  
0  
Number of analogue outputs (EF001995)  
4  
Analogue inputs configurable (EF008518)  
No  
Analogue outputs configurable (EF008519)  
No  
Number of HW-interfaces industrial Ethernet (EF003020)  
0  
Number of interfaces PROFINET (EF006932)  
0  
Number of HW-interfaces RS-232 (EF003021)  
0  
Number of HW-interfaces RS-422 (EF003022)  
0  
Number of HW-interfaces RS-485 (EF003023)  
0  
Number of HW-interfaces serial TTY (EF003024)  
0  
Number of HW-interfaces parallel (EF003026)  
0  
Number of HW-interfaces wireless (EF006933)  
0  
Number of HW-interfaces USB (EF003025)  
0  
Number of HW-interfaces other (EF003027)  
0  
Supporting protocol for EtherCAT (EF017564)  
No  
Supporting protocol for TCP/IP (EF003050)  
No  
Supporting protocol for PROFIBUS (EF003052)  
No  
Supporting protocol for CAN (EF003053)  
No

Supporting protocol for INTERBUS (EF003054)

No

Supporting protocol for ASI (EF003051)

No

Supporting protocol for KNX (EF003055)

No

Supporting protocol for Modbus (EF003057)

No

Supporting protocol for Data-Highway (EF003058)

No

Su...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL SE AO4 U 0-10 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.