

INDUSTRIAL COMPONENT DATA

AXL SE IOL4 1088132 PHOENIX CONTACT Axioline Smart Elements, Maestro IO-Link, IO-Link Class A ports: 4, conn..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL SE IOL4



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL SE IOL4
Catalog number	1088132
Category	Fieldbus, decentr. periphery - communication module
Minimum order	1 Pcs
Document ID	EO-4857278D66
Generated	2026-08-04

Product Overview

Axioline Smart Elements, Maestro IO-Link, IO-Link Class A ports: 4, connection type: Push-in connection, connection technology: 3 conductors, protection index: IP20

Axioline Smart Elements, Master IO-Link, 4 IO-Link ports, protection index: IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > I/O

Additional Product Information

ETIM for 1088132 PLC's (EC001604)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for EtherNet/IP (EF007521)

No

Radio standard Bluetooth (EF007178)

No

Radio standard WLAN 802.11 (EF007179)

No

Radio standard GPRS (EF008523)

No

IO link master (EF007298)

Yes

System accessory (EF004118)

Yes

Degree of protection (IP) (EF005474)

IP20

With potential separation (EF003272)

No

Fieldbus connection over separate bus coupler possible (EF004002)

Yes

Suitable for rail mounting (EF003972)

No

Wall mounting/direct mounting (EF007020)

No

Front built-in possible (EF007016)

No

Rack-assembly possible (EF007018)

No

Suitable for safety functions (EF001597)

No

Performance level according to EN ISO 13849-1 (EF007399)

None

Appendant operation agent (Ex ia) (EF004141)

No

Appendant operation agent (Ex ib) (EF004142)

No

Explosion safety category for gas (EF003997)

None

Explosion safety category for dust (EF003998)

None

Width (EF000008)

14.9 mm

Height (EF000040)

62.2 mm

Depth (EF000049)

62 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL SE IOL4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.