

INDUSTRIAL COMPONENT DATA

AXL SE PSDI8/3 1079241 PHOENIX CONTACT Axioline Smart Elements, Digital input module, Functional safety, PRO..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL SE PSDI8/3



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL SE PSDI8/3
Catalog number	1079241
Category	Fieldbus, decentr. periphery - digital I/O module
Minimum order	1 Pcs
Document ID	EO-415F8C79C0
Generated	2026-08-02

Product Overview

Axioline Smart Elements, Digital input module, Functional safety, PROFIsafe, only for connection to a control system from Phoenix Contact and Siemens, Safe digital inputs: 4 (2-channel assignment), 8 (1-channel assignment), 24 V DC, connection technology: 3 conductors, protection rating: IP20

Axioline Smart Elements, Digital Input Module, Secure Digital Inputs: 8 (1 Channel Assignment), 4 (2 Channel Assignment), 24 V DC, Connection Technique: 3 Conductors, Protection Index: IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Safety

Additional Product Information

ETIM for 1079241 PLC's (EC001599)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Number of digital inputs (EF001992)

4

Number of digital outputs (EF001993)

0

Digital inputs configurable (EF008516)

No

Digital outputs configurable (EF008520)

No

Input current at signal 1 (EF001428)

0.0027 mA

Permitted voltage at input (EF007554)

-3 V

Type of voltage (input voltage) (EF003033)

DC

Type of digital output (EF003601)

None

Short-circuit protection, outputs available (EF003203)

No

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number of HW-interfaces serial TTY (EF003024)

0

Number of HW-interfaces parallel (EF003026)

0

Number of HW-interfaces wireless (EF006933)

0

Number of HW-interfaces USB (EF003025)

0

Number of HW-interfaces other (EF003027)

0

With optical interface (EF003028)

No

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for TCP/IP (EF003050)

No

Supporting protocol for PROFIBUS (EF003052)

No

Supporting protocol for CAN (EF003053)

No

Supporting protocol for INTERBUS (EF003054)

No

Supporting protocol for ASI (EF003051)

No
Supporting protocol for KNX (EF003055)
No
Supporting protocol for Modbus (EF003057)
No
Supporting protocol for Data-Highway (EF003058)
No
Supporting protocol for DeviceNet (EF003059)
No
Supporting pro...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL SE PSDI8/3 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.