

INDUSTRIAL COMPONENT DATA

AXL SE SSDI8/3 1190012 PHOENIX CONTACT Axioline Smart Elements, Digital input module, Functional safety, Saf..

Brand: PHOENIX CONTACT | Manufacturer Part Number: AXL SE SSDI8/3



Manufacturer	PHOENIX CONTACT
MPN / Reference	AXL SE SSDI8/3
Catalog number	1190012
Category	Fieldbus, decentr. periphery - digital I/O module
Minimum order	1 Pcs
Document ID	EO-12F70AA2BC
Generated	2026-08-01

Product Overview

Axioline Smart Elements, Digital input module, Functional safety, SafetyBridge technology, Safe digital inputs: 4 (2-channel assignment), 8 (1-channel assignment), 24 V DC, connection technology: 3 drivers, protection index: IP20

Axioline Smart Elements, Digital Input Module, SafetyBridge Technology, Secure Digital Inputs: 8 (1 Channel Allocation), 4 (2 Channel Allocation), 24 V DC, Connection Technology: 3 Conductors, Protection Index: IP20

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Safety

Additional Product Information

ETIM for 1190012 PLC's (EC001599)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Number of digital inputs (EF001992)

4

Number of digital outputs (EF001993)

0

Digital inputs configurable (EF008516)

No

Digital outputs configurable (EF008520)

No

Input current at signal 1 (EF001428)

0.0027 mA

Permitted voltage at input (EF007554)

-3 V

Type of voltage (input voltage) (EF003033)

DC

Type of digital output (EF003601)

None

Short-circuit protection, outputs available (EF003203)

No

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number of HW-interfaces serial TTY (EF003024)

0

Number of HW-interfaces parallel (EF003026)

0

Number of HW-interfaces wireless (EF006933)

0

Number of HW-interfaces USB (EF003025)

0

Number of HW-interfaces other (EF003027)

0

With optical interface (EF003028)

No

Radio standard Bluetooth (EF007178)

No

Radio standard WLAN 802.11 (EF007179)

No

Radio standard GPRS (EF008523)

No

Radio standard GSM (EF008524)

No

Radio standard UMTS (EF008525)

No

IO link master (EF007298)

No

System accessory (EF004118)

Yes

Degree of protection (IP) (EF005474)

IP20

Type of electric connection (EF003961)

Other

Time delay at signal change (EF002382)

0 ms

Fieldbus connection over separate bus coupler possible (EF004002)

Yes

Suitable for rail mounting....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / AXL SE SSDI8/3 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.