


INDUSTRIAL COMPONENT DATA

CUTFOX 18 1212129 PHOENIX CONTACT Cable-cutting tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CUTFOX 18



Manufacturer	PHOENIX CONTACT
MPN / Reference	CUTFOX 18
Catalog number	1212129
Category	Cable shears
Minimum order	1 Pcs
Document ID	EO-6039F35A55
Generated	2026-08-02

Product Overview

Cable-cutting tool

Angled cable cutter, for copper and aluminium up to 18 mm diameter (up to 50 mm²)

Cable cutter, angled, for copper and aluminium up to 18 mm diameter (up to 50 mm²)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212129

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 392 (C-3-2017)

GTIN 4046356456098

Weight per Piece (excluding packing) 296.400 g

Custom tariff number 82032000

Country of origin DE (Germany)

Dimensions

Length (b) 180 mm

Width (a) 50 mm

General

Weight 290 g

Max. cross section 50 mm²

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121044701eCl@ss 4.021040302eCl@ss 4.121040302eCl@ss 5.021040302eCl@ss 5.121040300eCl@ss 6.021049000eCl@ss 7.021044701eCl@ss 8.021044701eCl@ss 9.021044701

ETIM 2.0EC000142ETIM 3.0EC000142ETIM 4.0EC000142ETIM 5.0EC000142ETIM 6.0EC000142

UNSPSC 6.0123171604UNSPSC 7.090123171604UNSPSC 1123171604UNSPSC 12.0123171604UNSPSC 13.227111506

ETIM for 1212129 Cable cutting and crimping tools (EC000142)

Feature Name

Feature Value

Construction/operation (EF001462)

Other

Suitable for max. cable diameter (EF000016)

18 mm

Max. cable cross section (EF000058)

50 mm²

Suitable for stranded conductors (EF007818)

No

Suitable for fine strand conductors (EF007804)

Yes

Suitable for solid conductors (EF007816)

No

Suitable for steel wire braiding (EF000152)

No

Total length (EF000369)

180 mm

Replaceable cutting head (EF000153)

No

Cutting jaws exchangeable (EF008045)

No

With strip function (EF007938)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Grip d...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CUTFOX 18 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.