


INDUSTRIAL COMPONENT DATA

CUTFOX 25 VDE 1212127 PHOENIX CONTACT Cable-cutting tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CUTFOX 25 VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	CUTFOX 25 VDE
Catalog number	1212127
Category	Cable shears
Minimum order	1 Pcs
Document ID	EO-421AEBB6A3
Generated	2026-07-29

Product Overview

Cable-cutting tool

Precision cutting cable cutter with macro-dentation, for copper and aluminum up to 70 mm², homologation. VDE 1000 V AC/ 1500 V DC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212127

Packing unit 1 pc

Catalog page Page 395 (C-3-2017)

GTIN 4046356454261

Weight per Piece (excluding packing) 319.200 g

Custom tariff number 82032000

Country of origin DE (Germany)

Dimensions

Length (b) 210 mm

General

Test standard DIN EN 60900 (VDE 0682 PART 201)

DIN ISO 5746

Max. cross section 70 mm²

Standards and Regulations

Test standard DIN EN 60900 (VDE 0682 PART 201)

DIN ISO 5746

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121044701eCl@ss 4.021040302eCl@ss 4.121040302eCl@ss 5.021040302eCl@ss 5.121040300eCl@ss
6.021049000eCl@ss 7.021044701eCl@ss 8.021044701eCl@ss 9.021044701

ETIM 2.0EC000142ETIM 3.0EC000142ETIM 4.0EC000142ETIM 5.0EC000142ETIM 6.0EC000142

UNSPSC 6.0123171604UNSPSC 7.090123171604UNSPSC 1123171604UNSPSC 12.0123171604UNSPSC
13.227111506

ETIM for 1212127 Cable cutting and crimping tools (EC000142)

Feature Name

Feature Value

Construction/operation (EF001462)

Other

Suitable for max. cable diameter (EF000016)

25 mm

Max. cable cross section (EF000058)

70 mm²

Suitable for stranded conductors (EF007818)

No

Suitable for fine strand conductors (EF007804)

Yes

Suitable for solid conductors (EF007816)

Yes

Suitable for steel wire braiding (EF000152)

No

Total length (EF000369)

210 mm

Replaceable cutting head (EF000153)

No

Cutting jaws exchangeable (EF008045)

No

With strip function (EF00...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CUTFOX 25 VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.