

INDUSTRIAL COMPONENT DATA

WIREFOX-D SHIELD 1212172 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX-D SHIELD



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX-D SHIELD
Catalog number	1212172
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-C9EC0AD094
Generated	2026-08-01

Product Overview

Stripping tool

Wire strippers for removing cables for cable openings and branches and screen connections with a diameter of 8 - 9 mm, up to 1.2 mm insulation thickness, stripping length from 20 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > TOOL fox**

Additional Product Information

Key Commercial Data

Orderkey 1212172

Packing unit 1 pc

Catalog page Page 411 (C-3-2017)

GTIN 4046356454308

Weight per Piece (excluding packing) 145.500 g

Custom tariff number 82032000

Country of origin DE (Germany)

Dimensions

Length (b) 166 mm

Width (a) 25 mm

Height (c) 102 mm

Cable diameter 8 mm ... 9 mm

Stripping length 20 mm

General

Color black

Weight 120 g

Min. cross section 16 mm²

Max. cross section 25 mm²

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.121040300eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC000163ETIM 5.0EC000163ETIM 6.0EC002109

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC

13.227111518

ETIM for 1212172 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

166 mm

Strip range cross-section (EF007568)

16 mm²

Strip range diameter (EF007567)

8 mm

Strip length adjustable (EF006222)

No

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

30 mm

Head width (EF006645)

23 mm

Head height (EF025409)

68 mm

Longitudinal section (EF001805)

Yes

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No
Handle...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX-D SHIELD with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.