


INDUSTRIAL COMPONENT DATA

WIREFOX-D 40 1212161 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX-D 40



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX-D 40
Catalog number	1212161
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-59C58BEE8F
Generated	2026-08-01

Product Overview

Stripping tool

Cable stripper for unstripping cables 4.5 mm - 40 mm Ø, insulation thickness up to 4.5 mm, swivelling blade for circular, longitudinal and spiral cuts

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212161

Packing unit 1 pc

Catalog page Page 413 (C-3-2017)

GTIN 4046356454452

Weight per Piece (excluding packing) 200.600 g

Custom tariff number 82032000

Country of origin SE (Sweden)

Dimensions

Length (b) 167 mm

Width (a) 37 mm

Height (c) 30.5 mm

Cable diameter 4.5 mm ... 40 mm

Stripping length 100 mm

General

Color black

Weight 116 g

Min. cross section 4 mm²Max. cross section 300 mm²**Environmental Product Compliance**

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.121040300eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC000163ETIM 5.0EC000163ETIM 6.0EC002109

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC 13.227111510

ETIM for 1212161 Hand tools (EC002109)

Feature Name**Feature Value**

Length (EF001438)

167 mm

Strip range cross-section (EF007568)

4 mm²

Strip range diameter (EF007567)

4.5 mm

Strip length adjustable (EF006222)

No

Depth of notch adjustable (EF005931)

Yes

Self-adjusting (EF022889)

No

Jaw length (EF005953)

0 mm

Head width (EF006645)

13 mm

Head height (EF025409)

30.5 mm

Longitudinal section (EF001805)

Yes

Round edge (EF001806)

Yes

Spiral cut (EF005299)

Yes

With wire cutter (EF000163)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

N...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX-D 40 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.