

INDUSTRIAL COMPONENT DATA

WT-STEEL S 7,9X520 3240816 PHOENIX CONTACT Cable tie

Brand: PHOENIX CONTACT | Manufacturer Part Number: WT-STEEL S 7,9X520



Manufacturer	PHOENIX CONTACT
MPN / Reference	WT-STEEL S 7,9X520
Catalog number	3240816
Category	Cable tie
Minimum order	100 Pcs
Document ID	EO-80C17AFD61
Generated	2026-08-03

Product Overview

Cable tie

Cable ties made of stainless steel (AISI 304), also suitable for aggressive environmental conditions, with ball closure, for fast and safe grouping and fixing

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on
--------------	----------------------------------

Additional Product Information

Key Commercial Data

Orderkey 3240816

Packing unit 100 pc

Minimum order quantity 100 pc

Note Made to Order (non-returnable)

Catalog page Page 664 (C-3-2017)

GTIN 4046356705646

Weight per Piece (excluding packing) 10.280 g

Custom tariff number 73269098

Country of origin GB (United Kingdom)

Dimensions

Length (b) 520 mm

Width (a) 7.9 mm

Max. material thickness 0.25 mm

Ambient conditions

Ambient temperature (operation) -80 °C ... 538 °C

Ambient temperature (assembly) -80 °C ... 538 °C

General

Color silver

Type Steel strip

Components free from silicone and halogen

Material Stainless steel 1.4301/AISI 304

RoHS compliant Yes

Tensile strength 1335 N

Standards and Regulations

Resistance to UV radiation yes

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027140702eCl@ss 4.127140702eCl@ss 5.027140702eCl@ss 5.127140700eCl@ss 6.027140700eCl@ss

7.027140702eCl@ss 8.027140702eCl@ss 9.027140702

ETIM 3.0EC000046ETIM 4.0EC000046ETIM 5.0EC000046ETIM 6.0EC000046

UNSPSC 6.0130212109UNSPSC 7.090127121703UNSPSC 1127121703UNSPSC 12.0127121703UNSPSC

13.227121703

ETIM for 3240816 Fixings and fasteners (EC000046)

Feature Name**Feature Value**

Length belt/tape/tie (EF000063)

520 mm

Tie thickness (EF004499)

0.26 mm

Operating temperature (EF002393)

-80 °C

Mounting temperature (EF008326)

-80 °C

Band closure (EF007673)

Ball latch

Material quality (EF001257)

Other

Surface protection (EF0001...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WT-STEEL S 7,9X520 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.