

INDUSTRIAL COMPONENT DATA

CD-HF 40X100 3240351 PHOENIX CONTACT Cable duct

Brand: PHOENIX CONTACT | Manufacturer Part Number: CD-HF 40X100



Manufacturer	PHOENIX CONTACT
MPN / Reference	CD-HF 40X100
Catalog number	3240351
Category	Slotted cable trunking system
Minimum order	12 Pcs
Document ID	EO-1E99FDB1A6
Generated	2026-07-28

Product Overview

Cable duct

Wiring channel for installation and installation in control cabinets, light grey, halogen-free, top and bottom, width: 40 mm, height: 100 mm, length: 2000 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on
--------------	----------------------------------

Additional Product Information

Key Commercial Data

Orderkey 3240351

Packing unit 10 pc

Minimum order quantity 10 pc

Catalog page Page 623 (C-3-2017)

GTIN 4046356508360

Weight per Piece (excluding packing) 1,020.400 g

Custom tariff number 39259020

Country of origin DE (Germany)

Dimensions

Length (b) 2000 mm

Width (a) 40 mm

Height (c) 100 mm

Diameter 40.00 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 90 °C

General

Color light grey RAL 7035

7035

Components halogen-free

Flammability rating according to UL 94 V0

Material PC/ABS

Nominal cross section 2663 mm²**Standards and Regulations**

Halogen-free yes

Connection in acc. with standard CSA

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

ClassificationseCl@ss 4.027140602eCl@ss 4.127140602eCl@ss 5.027140602eCl@ss 5.127140600eCl@ss 6.027400700eCl@ss
7.027400703eCl@ss 8.027400703eCl@ss 9.027400703

ETIM 2.0EC000012ETIM 3.0EC000012ETIM 4.0EC000012ETIM 5.0EC000012ETIM 6.0EC000012

UNSPSC 6.0130101815UNSPSC 7.090130101815UNSPSC 1130101815UNSPSC 12.0130101815UNSPSC
13.239131712

ETIM for 3240351 Slotted cable trunking (EC000012)

Feature Name**Feature Value**

Height (EF000040)

100 mm

Width (EF000008)

40 mm

Length (EF001438)

2000 mm

Distance of slots (EF005246)

6.5 mm

Slit width (EF005247)

6 mm

Type of side wall (EF000098)

Slotted

Halogen free (EF000025)

Yes

Self-extinguishing (EF000681)

No

Flexible (EF000083)

No

With c...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CD-HF 40X100 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.