

INDUSTRIAL COMPONENT DATA

CD-HF 80X100 3240360 PHOENIX CONTACT Cable duct

Brand: PHOENIX CONTACT | Manufacturer Part Number: CD-HF 80X100



Manufacturer	PHOENIX CONTACT
MPN / Reference	CD-HF 80X100
Catalog number	3240360
Category	Slotted cable trunking system
Minimum order	10 Pcs
Document ID	EO-3B8AFCD2FE
Generated	2026-08-02

Product Overview

Cable duct

Wiring channel for installation and installation in control cabinets, light grey, halogen-free, top and bottom, width: 80 mm, height: 100 mm, length: 2000 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on
--------------	----------------------------------

Additional Product Information

Key Commercial Data

Orderkey 3240360

Packing unit 8 pc

Minimum order quantity 8 pc

Catalog page Page 623 (C-3-2017)

GTIN 4046356508452

Weight per Piece (excluding packing) 1.720 g

Custom tariff number 39259020

Country of origin DE (Germany)

Dimensions

Length (b) 2000 mm

Width (a) 80 mm

Height (c) 100 mm

Diameter 80.00 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 90 °C

General

Color light grey RAL 7035

7035

Components halogen-free

Flammability rating according to UL 94 V0

Material PC/ABS

Nominal cross section 5815 mm²

Standards and Regulations

Halogen-free yes

Connection in acc. with standard CSA

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027140602eCl@ss 4.127140602eCl@ss 5.027140602eCl@ss 5.127140600eCl@ss 6.027400700eCl@ss
7.027400703eCl@ss 8.027400703eCl@ss 9.027400703

ETIM 2.0EC000012ETIM 3.0EC000012ETIM 4.0EC000012ETIM 5.0EC000012ETIM 6.0EC000012

UNSPSC 6.0130101815UNSPSC 7.090130101815UNSPSC 1130101815UNSPSC 12.0130101815UNSPSC
13.239131712

ETIM for 3240360 Slotted cable trunking (EC000012)

Feature Name

Feature Value

Height (EF000040)

100 mm

Width (EF000008)

80 mm

Length (EF001438)

2000 mm

Distance of slots (EF005246)

6.5 mm

Slit width (EF005247)

6 mm

Type of side wall (EF000098)

Slotted

Halogen free (EF000025)

Yes

Self-extinguishing (EF000681)

No

Flexible (EF000083)

No

With cover (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CD-HF 80X100 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.