

INDUSTRIAL COMPONENT DATA

WP-GA HF IP66 M10 BK 3240923 PHOENIX CONTACT Screw connection

Brand: PHOENIX CONTACT | Manufacturer Part Number: WP-GA HF IP66 M10 BK



Manufacturer	PHOENIX CONTACT
MPN / Reference	WP-GA HF IP66 M10 BK
Catalog number	3240923
Category	Cable gland
Minimum order	50 Pcs
Document ID	EO-34F4F094A8
Generated	2026-08-01

Product Overview

Screw connection
Cable gland, metric thread, IP66 degree of protection, angled

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data
Orderkey 3240923
Packing unit 50 pc
Minimum order quantity 50 pc
Note Made to Order (non-returnable)
Catalog page Page 633 (C-3-2017)
GTIN 4046356710305
Weight per Piece (excluding packing) 6.120 g
Custom tariff number 39174000
Country of origin DE (Germany)
Dimensions
Length (b) 34.5 mm
Width (a) 17 mm
Height (c) 33.5 mm

Diameter 16 mm
Outside diameter 10 mm
Cable diameter 10 mm ... 10 mm
Ambient conditions
Ambient temperature (operation) -40 °C ... 115 °C
Degree of protection IP66
General
Color black
Type Angled
Outer thread
Components free from silicone, halogen, and cadmium
Flammability rating according to UL 94 V2
Material PA
Standards and Regulations
Halogen-free yes
Connection in acc. with standard UL
Flammability rating according to UL 94 V2
Environmental Product Compliance
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
Classifications
eCl@ss 4.027141131eCl@ss 4.127141131eCl@ss 5.027141131eCl@ss 5.127141100eCl@ss 6.027149100eCl@ss 7.027149109eCl@ss 8.027149109eCl@ss 9.027144432
ETIM 3.0EC000897ETIM 4.0EC001178ETIM 5.0EC001178ETIM 6.0EC000441
UNSPSC 6.0130211812UNSPSC 7.090139121410UNSPSC 1139121411UNSPSC 12.0139121411UNSPSC 13.239121311
ETIM for 3240923 Flexible conduit systems (EC001178)
Feature Name
Feature Value
Nominal diameter (EF005114)
10 mm
Nominal size in inch (EF005462)
Other
Degree of protection (IP) (EF005474)
IP66
Revolving thread (EF001757)
No
Type of connection (EF00...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WP-GA HF IP66 M10 BK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.