

INDUSTRIAL COMPONENT DATA

WP-GT PP HF PG29 3241007 PHOENIX CONTACT Screw connection

Brand: PHOENIX CONTACT | Manufacturer Part Number: WP-GT PP HF PG29



Manufacturer	PHOENIX CONTACT
MPN / Reference	WP-GT PP HF PG29
Catalog number	3241007
Category	Cable gland
Minimum order	2 Pcs
Document ID	EO-B6562EC313
Generated	2026-07-31

Product Overview

Screw connection
PP cable gland with rotating Pg thread, IP54 protection degree
PP screw connection with Pg thread, rotatable, IP54 degree of protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial plug-in connectors/interfaces**

Additional Product Information

Key Commercial Data
Orderkey 3241007
Packing unit 2 pc
Minimum order quantity 2 pc
Note Made to Order (non-returnable)
Catalog page Page 639 (C-3-2017)
GTIN 4046356711395
Weight per Piece (excluding packing) 27.550 g
Custom tariff number 39174000
Country of origin DE (Germany)
Dimensions
Width (a) 50 mm
Height (c) 59 mm

Wrench size 45 mm

Outside diameter 36 mm

Cable diameter 27 mm ... 27 mm

Ambient conditions

Ambient temperature (operation) -10 °C ... 110 °C

Degree of protection IP54

General

Color gray

Type Rotatable

Outer thread

Components halogen-free

Flammability rating according to UL 94 HB

Material PP

Standards and Regulations

Halogen-free yes

Flammability rating according to UL 94 HB

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027141131eCl@ss 4.127141131eCl@ss 5.027141131eCl@ss 5.127141100eCl@ss 6.027149100eCl@ss

7.027149109eCl@ss 8.027149109eCl@ss 9.027144432

ETIM 3.0EC000897ETIM 4.0EC001178ETIM 5.0EC001178ETIM 6.0EC000441

UNSPSC 6.0130211812UNSPSC 7.090139121410UNSPSC 1139121411UNSPSC 12.0139121411UNSPSC

13.239121311

ETIM for 3241007 Flexible conduit systems (EC001178)

Feature Name

Feature Value

Nominal diameter (EF005114)

36 mm

Nominal size in inch (EF005462)

Other

Degree of protection (IP) (EF005474)

IP54

Revolving thread (EF001757)

Yes

Type of connection (EF000064)

Other

Thread connection size (EF007834)

PG29

Thread length (EF000368)

12 m...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WP-GT PP HF PG29 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.