

INDUSTRIAL COMPONENT DATA

CD-HF 30X100 BU 3240589 PHOENIX CONTACT Cable duct for installation and mounting in control cabinets, blue, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: CD-HF 30X100 BU



Manufacturer	PHOENIX CONTACT
MPN / Reference	CD-HF 30X100 BU
Catalog number	3240589
Category	Slotted cable trunking system
Minimum order	12 Pcs
Document ID	EO-E4C3856ED9
Generated	2026-08-03

Product Overview

Cable duct for installation and mounting in control cabinets, blue, halogen-free, comprising upper part and mounting base, width: 30 mm, height: 100 mm, length: 2000 mm

Wiring channel for installation and installation in control cabinets, blue, halogen-free, top and bottom, width: 30 mm, height: 100 mm, length: 2000 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on
--------------	----------------------------------

Additional Product Information

Key Commercial Data

Orderkey 3240589

Packing unit 1 pc

Minimum order quantity 12 pc

Catalog page Page 579 (C-3-2019)

GTIN 4046356630078

Weight per Piece (excluding packing) 0.000 g

Custom tariff number 39259020

Country of origin DE (Germany)

Drawings

Ambient conditions

Standards and Regulations

Classifications

Dimensions

General

Environmental Product Compliance

Drawings

Dimensional drawing

Base perforation according to DIN EN 50085

[Back to top](#)Dimensions

Length (b) 2000 mm

Width (a) 30 mm

Height (c) 100 mm

[Back to top](#)Ambient conditions

Ambient temperature (operation) -40 °C ... 90 °C

[Back to top](#)General

Color blue

5015

Components halogen-free

Flammability rating according to UL 94 V0

Material PC/ABS

Nominal cross section 1875 mm²

[Back to top](#)Standards and Regulations

Connection in acc. with standard CSA

Flammability rating according to UL 94 V0

[Back to top](#)Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

[Back to top](#)Classifications

eCl@ss

eCl@ss 4.0 27140600

eCl@ss 4.1 27140600

eCl@ss 5.0 27140600

eCl@ss 5.1 27140600

eCl@ss 6.0 27400700

eCl@ss 7.0 27400703

eCl@ss 8.0 27400703

eCl@ss 9.0 27400703

[Back to top](#)ETIM

ETIM 4.0 EC000012

ETIM 5.0 EC000012

ETIM 6.0 EC000012

ETIM 7.0 EC000012

[Back to top](#)UNSPSC

UNSPSC 6.01 30101815

UNSPSC 7.0901 30101815

UNSPSC 11 30101815

UNSPSC 12.01 30101815

UNSPSC 13.2 39131712

UNSPSC 18.0 39131712

UNSPSC 19.0 39131712

UNSPSC 20.0 39131712

UNSPSC 21.0 391317...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CD-HF 30X100 BU with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.